



Release notes 3.3

silver.solutions GmbH
Färberstr. 26
12555 Berlin

Telefon: 030.65.48.19.90
contact@silversolutions.de

1. Silver.e-shop version 3.3	3
1.1. Server requirements	3
1.2. New features and improvements	3
1.3. Bug fixes	3
1.4. Tagged versions	4
1.4.1. silver.e-shop	4
1.5. JavaScript libraries and plugins	4
2. API Changes.....	5
2.1. silver.e-shop	5
2.1.1. Database changes.....	5
2.1.1.1. Update doctrine	5
2.1.2. Configuration	5
2.1.3. Services.....	5
2.1.4. Method signature changes	5
2.1.5. Interface changes	6
2.1.6. Templates.....	7
2.2. VoucherBundle	10
2.3. silver.orderhistory	12
2.3.1. No changes in this version	12
2.4. silver.customercenter.....	12
2.4.1. No changes in this version	12
2.5. Hotfixes	12
2.5.1. Database changes.....	12
2.5.2. Configuration	12
2.5.3. Ez legacy changes and files/settings ignored by .git.....	12

1. Silver.e-shop version 3.3

- supported eZ Version 5.4.5

If you apply this silver.e-shop version in the project, always check the latest tagged version.

1.1. Server requirements

silver.e-shop relies on eZ Publish software that is built to rely on existing technologies and standards, mainly:

- PHP scripting language: 5.4/5.5, minimum 5.4.4, & community support for 5.6
- SQL database: *MySql/MariaDB or PostgreSQL*
- Web Server: Apache 2.2, Apache 2.4 or Nginx 1.4+
- Java JRE (Oracle-Sun/OpenJDK) when Solr is used (for use with eZ Find search engine)
(Oracle-Sun/OpenJDK) when Solr is used (for use with eZ Find search engine)

1.2. New features and improvements

List of new features and improvements.

Ticket	Topic	Description	Usage
#11016	Checkout	Flexible possibility to skip checkout steps	
#11017	Checkout	Pre- and Post-Events to handle Checkout forms. Enables to modify form data, eg. to validate address data against an external service.	
#11019	Vouchers	Vouchers that are managed in ERP, can be redeemed in the shop	
#10977	Design	New messages system	
#10637			
#11053	Design	New fresh design for silver.e-shop	

1.3. Bug fixes

List of bugs that were fixed in this version.

Ticket	Topic	Description
#11010	Admin	Design issue in legacy pagelayout.tpl
#11008	Customer Profile Data	store additional eZ data
#11002	Translation Service	textmodule problem with languages
#10869	Comparison	handling of empty sessionID

Ticket	Topic	Description
#10629	Location Priority Sorting	Since Ez 5.3, the sort clause location priority is deprecated for content search. The search type was changed from content to location search. Location search supports location priority sorting. <u>Ez reference</u>
#6929	Default setting for asset and translation cache	The default settings for caching were set to "null" so caching was not set by default. If you want to disable cache e.g. in dev mode put this settings to your config_dev.yml: <pre style="border: 1px dashed #ccc; padding: 10px; text-align: center;">silver_tools.default.translation_cache_ttl: 0 silver_eshop.default.asset_cache_ttl: null: 0</pre>
#10937	Silver.module not working	Silver.module was not working after the last eZ update.
#10951	Navigation service	When content was not translated in the required language, exception was thrown
#11009	Admin panel	Missing JS in the Admin panel

1.4. Tagged versions

List of tagged versions. These tags are created in the next development phase - 3.3++. This list must be fulfilled when the next release was published.

1.4.1. silver.e-shop

Ticket	Topic	Description	Date	Tag	Patch
#11206	Products	show last viewed products might cause a critical problem if sku is not there any more	2016-04-21	3.3-11206	hotfix-3.3-1-11206.patch

1.5. JavaScript libraries and plugins

NameVersion jQuery1.7.2

2. API Changes

2.1. silver.e-shop

2.1.1. Database changes

2.1.1.1. Update doctrine

```
php ezipublish/console doctrine:schema:update --force
```

2.1.2. Configuration

New listeners in checkout process

```
#here you can enable/disable the PriceShippingListener
#values: true or false
siso_checkout.default.price_shipping_listener_active: false
#here you can enable/disable the ValidAddressListener
#values: true or false
siso_checkout.default.valid_address_listener_active: false
```

2.1.3. Services

vendor/silversolutions/silver.e-shop/src/Siso/Bundle/CheckoutBundle/Resources/config/services.xml

```
<!-- checkout shipping payment type -->
    <service
id="siso_checkout.form_entity.checkout_shipping_payment_type"
class="%siso_checkout.form_entity.checkout_shipping_payment_type.class%"
scope="prototype">
        <call method="setFormsValues">
            <argument>%ses_forms.checkout_values%</argument>
        </call>
        <call method="setServices">
            <argument type="service" id="silver_trans.translator" />
+            <argument type="service"
id="silver_basket.basket_service" />
+            <argument type="service" id="request_stack" />
        </call>
    </service>
```

2.1.4. Method signature changes

vendor/silversolutions/silver.e-shop/src/Silversolutions/Bundle/EshopBundle/Services/NavigationService

```
//from * @return \eZ\Publish\Core\Repository\Values\Content\VersionInfo[]
//to * @return \eZ\Publish\Core\Repository\Values\Content\Location[]

public function getEzChildren($locationId)
```

2.1.5. Interface changes

vendor/silversolutions/silver.e-shop/src/Siso/Bundle/CheckoutBundle/Api/CheckoutFormInterface.php

Every checkout form needs to implement this interface. This offers a possibility for the user to force into next step in the checkout process.

Example: if the address validation failed, but the user wants to proceed with this address to the next step.

```
interface CheckoutFormInterface
{
    /**
     * sets the force step flag
     *
     * @param boolean $forceStep
     */
    public function setForceStep($forceStep);

    /**
     * gets the force step flag
     *
     * @return boolean
     */
    public function getForceStep();
}
```

Additionally there is a need to extend form type service to render new checkbox

```
->add('forceStep', 'checkbox', array(
    'required' => false,
    'label' => $this->transService-
>translate('label.force_address_agree'),
))
```

2.1.6. Templates

Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show.html.twig

New block 'vouchers' in the 'basket_footer' block

```
{% block basket_footer %}
<hr class="u-no-margin-top"/>
<div class="row">

    {% block vouchers %}
        {# voucher #}
        {% if voucher_active %}
            <div class="large-5 columns">
                <form action="{{ path('siso_redeem_voucher') }}" method="post">
                    <div class="row collapse">
                        <div class="small-7 medium-8 columns">
                            <input type="text" id="voucher-number"
name="ses_voucher_number"
                            placeholder="{{ 'label.voucher_number'|st_translate
}}">
                        </div>
                        <div class="small-5 medium-4 columns">
                            <button type="submit" class="button postfix"
                            title="{{ 'button.activate_voucher'|st_translate
}}">
                                <i class="fa fa-ticket"></i> {{
'button.activate_voucher'|st_translate }}
                            </button>
                        </div>
                    </div>
                </form>
                {# display vouchers if set in the basket #}
                {% if ses_contains_basket_vouchers(basket) %}
                    {% set vouchers = ses_get_basket_vouchers(basket) %}
                    <div class="u-text-small">{{
'common.voucher_redeemed'|st_translate }}:</div>
                    {% for voucher in vouchers %}
                        <div>
                            {{ voucher }} -
                            <a href="{{ path('siso_remove_voucher', {'voucherNumber' :
voucher}) }}">
                                <i class="fa fa-trash"></i> {{
'button.remove_voucher'|st_translate }}
                            </a>
                        </div>
                    {% endfor %}
                </div>
            </div>
        {% endblock vouchers %}
    </div>
{% endblock basket_footer %}
```

```
<hr class="u-margin-top-1x u-margin-bottom-1x"/>

<a class="button tiny secondary" href="{{
path('siso_remove_voucher') }}">
    <i class="fa fa-trash"></i> {{
'button.remove_vouchers'|st_translate }}
</a>

    {% endif %}
<hr class="show-for-medium-down"/>
</div>
{% endif %}
{# voucher end #}

{% endblock %}
<div class="{% if not voucher_active %}large-push-7 {% endif %}large-5
columns">
    {{ block('basket_part_footer') }}
</div>
</div>
```

src/Silversolutions/Bundle/EshopBundle/Resources/views/parts/message.html.twig

New file for inline messages

```
{#

{{
include('SilversolutionsEshopBundle:parts:message.html.twig'|st_resolve_tem
plate, {
    'content': 'hello world',
    'close': true,
    'attrs': {
        'class': 'alert|success|info|warning|secodary',
        'behat': st_tag('message', 'notice', 'read', '', '')
        'id': 'super id',
        'data-super-tag': 'super tag',
        'style': 'display: none;'
    }
}}
#}

{# we handle these a bit differently #}
{% set excludes = ['class', 'behat'] %}
```

```
{% set class %}
  {%- if attrs.class is defined and attrs.class is not empty -%}
    {{ ' ' ~ attrs.class }}
  {%- endif -%}
{% endset %}

{% set behat %}
  {%- if attrs.behat is defined and attrs.behat is not empty -%}
    {{ ' ' ~ attrs.behat }}
  {%- endif -%}
{% endset %}

{% set attributes %}
  {% for key, val in attrs %}
    {% if key not in excludes %}
      {% if val is not empty %}
        {{ key }}="{{ val }}"
        ?? {% else %}
          {{ key }}
        {% endif %}
      {% endif %}
    {% endfor %}
  {% endset %}

{% if content is defined and content is not empty %}

  <div class="alert-box{{ class }}" {{ attributes }}{{ behat }}{%- if
close is defined and close == true %} data-alert{%- endif -%}>
    {{ content|raw }}
    {% if close is defined and close == true %}
      <a href="#" class="close">&times;</a>
    {% endif %}
  </div>
{% endif %}
```

src/Silversolutions/Bundle/EshopBundle/ezpublish_legacy/silver.e-shop.legacy/design/admin2/templates/pagelayout.tpl

Left menu fix in admin panel

```
// starts at line 222
{*
  mkr:
  looks like we need this for edit mode. On edit mode $hide_left_menu is
```

```
set to true, otherwise we have two
    leftmenus and layout is broken
*}
{if $hide_left_menu}
{else}
    {include uri='design:page_leftmenu.tpl'}
{/if}
```

2.2. VoucherBundle

There is a new VoucherBundle. This allows users to redeem vouchers, that are managed by the ERP system.

You need to do following changes in your project:

If you are not using composer to update silver.e-shop, you need to add the VoucherBundle to your global composer.json

Code Block Fehler! Textmarke nicht definiert. composer.json

```
"autoload": {
    "psr-0": {
        "": "src/",
        "com\\mikebevez\\xsd2php": "vendor/moyarada/XSD-to-PHP/src",
        ...
        "Siso\\Bundle\\CustomerCenterBundle":
"vendor/silversolutions/silver.customercenter/src/",

        + "Siso\\Bundle\\VoucherBundle": "vendor/silversolutions/silver.e-
shop/src/",
    }
},
```

Enable VoucherBundle in the Kernel

Code Block Fehler! Textmarke nicht definiert. ezpublish/EzPublishKernel.php

```
public function registerBundles()
{
```

```
$bundles = array(  
    new FrameworkBundle(),  
    ...  
    + new Siso\Bundle\VoucherBundle\SisoVoucherBundle(),  
    ...  
);
```

Add Voucher routes to your routing.yml

Code Block Fehler! Textmarke nicht definiert. ezpublish/config/routing.yml

```
siso_voucher:  
    resource: "@SisoVoucherBundle/Resources/config/routing.yml"  
    prefix:  /
```

Update your autoloads

Code Block Fehler! Textmarke nicht definiert. composer.json

```
php composer.phar dump-autoload
```

If you dont want to use vouchers in your project, you can disable it in the configuration:

```
twig:  
    globals:  
    voucher_active: false
```

2.3. silver.orderhistory

Follow these changes only, if you are using [Addon - Orderhistory](#) in your project.

2.3.1. *No changes in this version*

2.4. silver.customercenter

Follow these changes only, if you are using [Addon - Customercenter](#) in your project.

2.4.1. *No changes in this version*

2.5. Hotfixes

2.5.1. *Database changes*

Update doctrine

```
php ezpublish/console doctrine:schema:update --force
```

2.5.2. *Configuration*

Code Block Fehler! Textmarke nicht definiert.

Silversolutions/Bundle/EshopBundle/Resources/config/ezpublish.yml

```
system:
  ezdemo_site_clean_group:
    location_view:
      full:
        silverModuleRuleset:
          - controller:
            SilversolutionsEshopBundle:SilverModule:loadController
          + controller:
            SilversolutionsEshopBundle:SilverModule:viewModuleLocation
        match:
          Identifier\ContentType: [st_module]
```

2.5.3. *Ez legacy changes and files/settings ignored by .git*

Silversolutions/Bundle/EshopBundle/ezpublish_legacy/silver.e-shop.legacy/design/admin2/templates/pagelayout.tpl

If you have a custom pagelayout.tpl in your legacy extension, make sure, that your code when you include the leftmenu is correct.

```
{/literal}
  {include uri='design:page_leftmenu.tpl'}

  <hr class="hide" />
{else}
+  {*}
+    looks like we need this for edit mode. On edit mode
+    $hide_left_menu is set to true, otherwise we have two
+    leftmenus and layout is broken
+  *}
+  {if $hide_left_menu}
+  {else}
+    {include uri='design:page_leftmenu.tpl'}
+  {/if}
{/if}

{/cache-block}{* /Pr uri cache *}

{* Main area START *}
{if $hide_left_menu}
  {include uri='design:page_mainarea.tpl'}
{else}
  <div id="maincontent">
  <div id="maincontent-design" class="float-break"><div id="fix">
```