

silver.eShop

Release notes 3.6

Inhaltsverzeichnis

1	Silver.e-shop version 3.6	3
1.1	Server requirements	3
1.2	New features and improvements	3
1.3	Bug fixes	3
1.4	New plugins	4
1.5	Tagged versions	4
1.5.1	silver.e-shop	5
1.5.2	silver.customercenter	5
1.5.3	silver.orderhistory	5
1.6	JavaScript libraries and plugins	5
2	API Changes	6
2.1	silver.e-shop	6
2.1.1	Update to eZ Publish 5.4.10	6
2.1.2	Database changes	7
2.1.2.1	Update doctrine	7
2.1.3	Configuration	7
2.1.4	Templates	7
2.2	ERP message mappings	66
2.3	Translations	67
2.4	Textmodules	70
2.5	silver.orderhistory	70
2.5.1	Templates	70
2.5.1.1	Modified templates	70
2.6	silver.customercenter	71
2.7	Hotfixes	71

1 Silver.e-shop version 3.6

- supported eZ Publish version 5.4.10

If you apply this silver.e-shop version in the project, always check the latest tagged version.

1.1 Server requirements

silver.e-shop relies on eZ Publish software that is built to rely on existing technologies and standards, mainly:

- PHP scripting language: *5.4/5.5/5.6/7.x (minimum 5.4.4)*
- SQL database: *MySql/MariaDB or PostgreSQL*
- Web Server: *Apache 2.2, Apache 2.4 or Nginx 1.4+*
- Java JRE (Oracle-Sun/OpenJDK) when Solr is used (for use with eZ Find search engine)

1.2 New features and improvements

List of new features and improvements.

Ticket	Topic	Description
#14683	eZ Update	Update to eZ 5.4.10
#12880	Design	Mobile view for product list improved
#14504	Design	Quickorder optimisation
#14505	Design	Wishlist/Stored baskets optimisation

1.3 Bug fixes

List of bugs that were fixed in this version.

Ticket	Topic	Description
#14667	Additional eZ data for econtent	Object relation and object relation list were not considered
#14478	Variants	No price request was done when editing variants in the basket
#14500	Order management list in backend	Fix exception in dev mode
#14779	Breadcrumb	Added possibility to configure eZ fields that should be used as

Ticket	Topic	Description
		labels for breadcrumb nodes
#14684	Customer skus	Several performance improvements
#14500	Order management list in backend	Add original basket reference for multi shops and missing translations for German
#14468	Invoice PDF	Add possibility to generate header and/or footer for each page of the invoice PDF
#14192	Orderhistory	Mapping for ERP messages did not work
#14513	Multishop	There was an issue with ordersplitting when ERP was not reachable
#14667	Econtent	RelationList was not considered in additional Econtent data
#12922	Backend	Backend preview function will be hidden for specific classes
#14624	Product detail	Wrong zoom image was used in product detail page
#14462	Multishop	Cockpit did not work properly in multishop projects
#14059	Checkout	Totals over 5 digits caused an exception
#12283	Navigation	Cache navigation in stash cache in debug environments
#14884	Mobile	Categories in the mobile navigation were not clickable

1.4 New plugins

Ticket	Name	Description
#13034	MultiShopPluginBundle	The Multi-Shop plug-in allows the creation and management of multiple shops within one single silver.eShop installation.
#12457	ShopPriceEnginePluginBundle	This plugin offers the possibility to maintain the prices and availability directly in the shop.
#14682	SisoVouchersPluginBundle	This plugin is based on the standard vouchers functionality from silver.eShop, but it offers the possibility to create and maintain vouchers in the shop.

1.5 Tagged versions

List of tagged versions. These tags are created in the next development phase - 3.6++. This list must be fulfilled when the next release was published.

1.5.1 silver.e-shop

Ticket	Topic	Description	Date	Tag	Patch

1.5.2 silver.customercenter

Ticket	Topic	Description	Date	Tag	Patch

1.5.3 silver.orderhistory

Ticket	Topic	Description	Date	Tag	Patch

1.6 JavaScript libraries and plugins

- no changes
- [Silver.e-shop version 3.6](#)
 - [Server requirements](#)
 - [New features and improvements](#)
 - [Bug fixes](#)
 - [New plugins](#)
 - [Tagged versions](#)
 - [silver.e-shop](#)
 - [silver.customercenter](#)
 - [silver.orderhistory](#)
 - [JavaScript libraries and plugins](#)
- [API Changes](#)
 - [silver.e-shop](#)
 - [Update to eZ Publish 5.4.10](#)
 - [Database changes](#)
 - [Configuration](#)
 - [Templates](#)
 - [ERP message mappings](#)

- [Translations](#)
- [Textmodules](#)
- [silver.orderhistory](#)
 - [Templates](#)
- [silver.customercenter](#)
- [Hotfixes](#)

2 API Changes

2.1 silver.e-shop

Please notice that the silver.eShop version 3.6 requires eZ Publish version 5.4.10!

2.1.1 Update to eZ Publish 5.4.10

Depending on your project settings, you at least need to change the eZ Publish versions in your composer.json.

For detailed information see <https://doc.ez.no/display/EZP/5.4.x+Update+Instructions>

```
"ezsystems/ezpublish-kernel": "5.4.10",  
"ezsystems/ezpublish-legacy": "5.4.10.1",
```

Update your application via composer

```
cp ezpublish/config/parameters.yml ezpublish/config/parameters_bak.yml  
//if required  
php composer.phar self-update  
php -d memory_limit=-1 composer.phar update --no-dev --prefer-dist --with-  
dependencies ezsystems/ezpublish-kernel ezsystems/ezpublish-legacy  
mv ezpublish/config/parameters_bak.yml ezpublish/config/parameters.yml  
php ezpublish/console cache:clear
```

2.1.2 Database changes

2.1.2.1 Update doctrine

```
php ezipublish/console doctrine:schema:update --force
```

2.1.3 Configuration

Removed not longer needed 'cat' path and add configuration to disable/enable generation of footer and/or header on each page for invoice PDF

Code Block 1

[src/Siso/Bundle/LocalOrderManagementBundle/Resources/config/local_order_management.yml](#)

```
-    siso_local_order_management.default.cat_command_server_path: '/bin/cat'

+    #Enable or disable the possibility to generate footer and header which are
+    #displayed on all PDF pages
+    siso_local_order_management.default.generate_footer_for_pdf: false
+    siso_local_order_management.default.generate_header_for_pdf: false
```

2.1.4 Templates

Modified templates

[Code Block 2 src/Silversolutions/Bundle/EshopBundle/Resources/views/Admin/order_list.html.twig](#)

```
        {% set multishop_order =
basket.dataMap.multishop_order %}
        {% endif %}
        <tr role="row">
-            <td>{{ basket.basketId }}</td>
+            <td>{{ basket.basketId }}{% if basket.basketId !=
basket.erpOrderId and basket.originId is defined and basket.erpOrderId is not
empty and multishop_order == true %} ({{ basket.originId }}){% endif %}</td>
            <td>{{ basket.dateLastModified|date('Y-m-d H:i')
}}</td>
            <td>{{ basket.userId }}</td>
            <td>{{ basket.erpOrderId }}</td>
@@ -193,9 +193,9 @@
            <ul style="width: 100px">
                {% for line in basket.lines %}
```

```

                                <li>{{ line.quantity }} x {{ line.sku }}
-                                {% if line.variantCode|default is not empty %}
-                                {{ 'Variant'|st_translate(null, {},
null, siteaccess) }}: {{ line.variantCode }}
+                                {% endif %}
+                                {% if line.variantCode|default is not
empty %}
+                                {{ 'Variant'|st_translate() }}: {{
line.variantCode }}
+                                {% endif %}
                                </li>
                                {% endfor %}
                                </ul>
```

Code Block 3

src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show.html.twig
index 1a7b6ab..b61077f 100755
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show.html.twig
@@ -31,7 +31,7 @@
    {#{% block main_nav %}}{% endblock %}#}

    {% block content %}
-    <div class="row u-margin-top-4x">
+    <div class="row">
        <div class="columns">
            {% if basket|default is not empty and basket.lines.count > 0 %}
                <h1 class="u-margin-top-4x">{{ 'Your Basket'|st_translate }}</h1>
@@ -55,15 +55,17 @@
                {% endtranschoice %}</h3>

                <form action="{{ path('silversolutions_basket_update') }}"
method="post">
                    <input type="hidden" class="js-redirect-url" value=""
name="redirect_url"/>
```

```
-      <div class="row show-for-large-up">
-          {{ block('basket_part_header') }}
+      <div class="c-basket__header show-for-large-up">
+          <div class="row">
+              {{ block('basket_part_header') }}
+          </div>
+      </div>

      {{ block('basket_part_lines') }}

      {% if stored_baskets_active|default is not empty and
stored_baskets_active %}
          {#add to stored basket#}
-          <a href="#" class="button js-add-to-stored-basket u-margin-bottom-
1x u-full-width-on-small">
+          <a href="#" class="button small js-add-to-stored-basket u-margin-
bottom-1x u-full-width-on-small">
              <i class="fa fa-upload fa-fw"></i>
              {{ 'Add products to stored basket'|st_translate }}</a>
      {% endif %}
@@ -76,7 +78,7 @@
      {% block vouchers %}
          {# voucher #}
          {% if voucher_active %}
-          <div class="large-5 columns">
+          <div class="medium-8 large-5 columns">
              <form action="{{ path('siso_redeem_voucher') }}"
method="post">

                  <div class="row collapse">
                      <div class="small-7 medium-8 columns">
@@ -104,13 +106,14 @@
                      </div>
                  {% endfor %}

-          <hr class="u-margin-top-1x u-margin-bottom-1x"/>
-
              <a class="button tiny secondary" href="{{
path('siso_remove_voucher') }}">
                  <i class="fa fa-trash"></i> {{
'button.remove_vouchers'|st_translate }}
              </a>
```

```
        {% endif %}

+
+
+
        </div>
        <div class="columns">
            <hr class="show-for-medium-down"/>
        </div>
    {% endif %}
```

Code Block 4

src/Silversolutions/Bundle/EshopBundle/Resources/views/Invoice/show.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Invoice/show.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Invoice/show.html.twig
old mode 100644
new mode 100755
index ad2525b..2b83f6a
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Invoice/show.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Invoice/show.html.twig
@@ -100,14 +100,18 @@
        <table style="border:none" align="right">
            <tr><td>
                <strong>{{ 'Date'|st_translate(null, {}, null,
siteaccess) }}:</strong>
-                <br/>{{ "now"|date("d.m.Y") }}<br>
+                <br/>{{ basket.dateLastModified|date("d.m.Y") }}<br>
            </td></tr>
            {% if basket.buyerParty.PartyIdentification[0].ID.value is
defined %}
                <tr><td>
-                <strong>{{
'label.customer_number'|st_translate(null, {}, 'configuration', siteaccess)
}}</strong>
+                <strong>{{
'label.customer_number'|st_translate(null, {}, 'configuration', siteaccess)
}}:</strong>
                <br/>{{
```

```
basket.buyerParty.PartyIdentification[0].ID.value|default('-') }}
        </td></tr>
        {% endif %}
+        <tr><td>
+            <strong>{{
'OrderReference_SalesOrderID'|st_translate(null, {}, null, siteaccess)
}}:</strong>
+            <br/>{{ basket.basketId }}<br>
+        </td></tr>
        </table>
        {% else %}
        <div class="row">
@@ -115,17 +119,23 @@
            <strong>{{ 'Date'|st_translate(null, {}, null,
siteaccess) }}:</strong>
            </div>
            <div class="medium-6 columns">
-                {{ "now"|date("d.m.Y") }}<br>
+                {{ basket.dateLastModified|date("d.m.Y") }}<br>
            </div>
        </div>
        {% if basket.buyerParty.PartyIdentification[0].ID.value is
defined %}
            <div class="row">
                <div class="medium-6 columns">
-                    <strong>{{
'label.customer_number'|st_translate(null, {}, 'configuration', siteaccess)
}}</strong>
+                    <strong>{{
'label.customer_number'|st_translate(null, {}, 'configuration', siteaccess)
}}:</strong>
                </div>
                <div class="medium-6 columns">
                    {{
basket.buyerParty.PartyIdentification[0].ID.value|default('-') }}
                </div>
+                <div class="medium-6 columns">
+                    <strong>{{
'OrderReference_SalesOrderID'|st_translate(null, {}, null, siteaccess)
}}:</strong>
+                </div>
```

```
+             <div class="medium-6 columns">
+                 {{ basket.basketId }}
+             </div>
+
+         </div>
+         {% endif %}
+     {% endif %}
@@ -331,7 +341,7 @@
    {# Delivery address #}
    <div class="row u-text-big collapse">
        <div class="small-7 columns text-left">
-            <strong>{{ 'label.delivery_address'|st_translate(null, {},
null, siteaccess) }}</strong><br/>
+            <strong>{{ 'Delivery Address'|st_translate(null, {}, null,
siteaccess) }}</strong><br/>
            {{
include('SilversolutionsEshopBundle:parts:address.html.twig'|st_resolve_templat
e, {'address' : basket.deliveryParty, 'displayEmail' : false, 'displayPhone' :
false, 'raw' : true }) }}
        </div>
    </div>
```

Code Block 5

src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order_line.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_line.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_line.html.twig
index 426d237..a613a8e 100644
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_line.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_line.html.twig
@@ -1,10 +1,24 @@
    {% set priceColumns = 2 %}

-    <div class="js-row-wrapper">
```

```
+<div class="js-row-wrapper c-quickorder__item">
+  {#product name#}
+  <div class="c-quickorder__produkt">
+    {% if catalogElement|default is not empty %}
+      <a href=" {{ catalogElement.seoUrl }}">{{ catalogElement.name }}</a>
+      {% if catalogElement.variantCode|default is not empty %}
+        ({{ catalogElement.variantCode }})
+      {% endif %}
+    {% else %}
+      <span class="label alert">
+        {{ 'Product not found'|st_translate }}
+      </span>
+    {% endif %}
+  </div>
+  <div class="row">
+
+    {#product sku#}
+    - <div class="large-2 columns js-row-sku">
+    -   <strong class="text-left show-for-medium-down">{{ 'SKU'|st_translate
+}}:</strong>
+    + <div class="small-6 large-5 columns js-row-sku">
+    +   <strong class="text-left u-text-small show-for-medium-down">{{
+'SKU'|st_translate }}:</strong>
+       <input class="inputbox js-autosuggest-quickorder" type="text"
+name="ses_basket[{{ lineId }}][sku]" size="10"
+       value="{{ sku }}" />
+       <input type="hidden" name="ses_basket[{{ lineId }}][item_in_basket]"
+value="0" />
+@@ -12,42 +26,27 @@
+       <input type="hidden" name="ses_basket[{{ lineId }}][ses_variant_code]"
+       value="{{ catalogElement.variantCode }}" />
+     {% endif %}
+
+  +
+  {#product availability#}
+</div>
- {#product name#}
- <div class="large-2 columns">
-   {% if catalogElement|default is not empty %}
-     <a href=" {{ catalogElement.seoUrl }}">{{ catalogElement.name }}</a>
-     {% if catalogElement.variantCode|default is not empty %}
-       ({{ catalogElement.variantCode }})
```

```
-         {% endif %}
-     {% else %}
-         <span class="label alert">
-             {{ 'Product not found'|st_translate }}
-         </span>
-     {% endif %}
- </div>
+
+     {#product quantity#}
-     <div class="large-1 columns large-text-center">
-         <strong class="text-left show-for-medium-down">{{
'Quantity'|st_translate }}:</strong>
+     <div class="small-6 large-2 columns large-text-center">
+         <strong class="text-left u-text-small show-for-medium-down">{{
'Quantity'|st_translate }}:</strong>
+         <input class="inputbox" type="text" name="ses_basket[{{ lineId
}}][quantity]" size="1" value=""/>
+     </div>
-     {#product availability#}
-     <div class="large-2 columns">&nbsp;
-     </div>
+
+     {#product price#}
-     <div class="large-{{ priceColumns }} columns text-right">&nbsp;</div>
+     <div class="large-{{ priceColumns }} columns">
+         <input class="u-no-padding hide-for-medium-down" type="text" disabled=""
placeholder="&nbsp;">
+     </div>
+     {#product total price#}
-     <div class="large-{{ priceColumns }} columns text-right">&nbsp;</div>
+     <div class="large-{{ priceColumns }} columns">
+         <input class="u-no-padding hide-for-medium-down" type="text" disabled=""
placeholder="&nbsp;">
+     </div>
+     {#delete product#}
-     <div class="large-1 columns text-center">
-         <div class="row">
-             <div class="small-6 large-12 columns">
-                 <strong class="text-left show-for-medium-down">{{
'Remove'|st_translate }}:</strong>
-             </div>
```

```
-         <div class="small-6 large-12 columns">
-             <input type="checkbox" name="ses_basket[{{ lineId
-             }}][item_delete]"/>
-         </div>
-     </div>
+     <div class="large-1 columns small-text-right large-text-center c-
+     quickorder__delete">
+         <i class="fa fa-trash show-for-medium-down"></i> <input type="checkbox"
+         name="ses_basket[{{ lineId }}][item_delete]" style="border:none"/>
+     </div>
+ </div>
+ {#additional information#}
@@ -55,17 +54,12 @@
+     <div class="row">
+         {% set inputLimit =
+         ses_config_parameter('additional_text_for_basket_line_input_limit',
+         'ses_basket') %}
+         <div class="large-2 columns">
-             <label class="inline u-color-primary u-no-margin-bottom"><strong>{{
-             'common.more_information'|st_translate }}</strong></label>
+             <label class="inline u-text-small u-color-primary u-no-margin-
+             bottom"><strong>{{ 'common.more_information'|st_translate }}</strong></label>
+         </div>
-         <div class="large-4 columns end">
+         <div class="large-3 columns end">
+             <input class="u-no-margin" id="ses_basket[{{ lineId }}][customText]"
+             type="text" name="ses_basket[{{ lineId }}][customText]" maxlength="{{
+             inputLimit }}" value =""/>
+             <input type="hidden" name="ses_basket[{{ lineId
+             }}][updateNotPermitted]" value="1"/>
+         </div>
+     </div>
+     {% endif %}
- <div class="row">
-     <div class="columns">
-         <hr>
-     </div>
- </div>
</div>
```

Code Block 6

src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order_form.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_form.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_form.html.twig
index 8c80a39..b723b36 100644
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_form.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/QuickOrder/quick_order
_form.html.twig
@@ -10,7 +10,56 @@
    {% endif %}

    <h1>{{ 'Quickorder'|st_translate }}</h1>
-{{ 'quickorder_introtxt'|st_translate }}
+
+<ul class="c-quickorder__info accordion u-margin-bottom-1x hide-for-medium-
down" data-accordion>
+  <li class="accordion-navigation">
+    <a href="#quickorder-info"><i class="fa fa-info-circle" aria-
hidden="true"></i> {{ 'Info'|st_translate }}</a>
+    <div id="quickorder-info" class="u-padding-1x u-no-padding-top content ">
+      {{ 'quickorder_introtxt'|st_translate }}
+      {% block csv_upload %}
+
+      <p>{{ 'You can use .csv file to fill your quickorder.'|st_translate
}}</p>
+
+      <div class="row">
+        <div class="large-6 columns">
+          <h4>{{ 'Upload csv file'|st_translate }}
+          <span class="sprite sprite-035-question-mark tooltip" data-
placement="e"
+            data-powertip="{{ 'Every line must contain sku, variant
code and quantity. You can upload only one .csv file'|st_translate }}"></span>
+          </h4>
+          {# csv file upload #}
+          <div class="c-dropzone js-dropzone">
```

```
+         <div class="c-dropzone__plus">
+             <i class="c-dropzone__icon"></i>
+         </div>
+         {{ 'Drop file here or'|st_translate }}
+         {# add class hide to hide the button #}
+         <input id="fileupload" type="file" name="files[]" data-url="{{
path('siso_quick_order_upload') }}" />
+     </div>
+ </div>
+ <div class="large-6 columns">
+     <h4>{{ 'Enter csv file input'|st_translate }}
+         {% set quickorder_params = ses_config_parameter('csv_data',
'siso_quickorder')|join(', ') %}
+         {% set title = 'Enter ' ~ quickorder_params ~ ' per line. After
every line press enter.' %}
+         <span data-tooltip aria-haspopup="true" class="has-tip"
+             title="{{ title }}">
+             <i class="fa fa-question-circle"></i>
+         </span>
+     </h4>
+
+     <form action="{{ path('siso_quick_textarea') }}" method="post">
+         <textarea class="quickorder_textarea" name="quickorder_textarea"
rows="4" cols="1"></textarea>
+         <button class="expand" type="submit">{{ 'Fill
quickorder'|st_translate }}</button>
+     </form>
+ </div>
+ </div>
+ {% endblock %}
+ </div>
+ </li>
+</ul>
+
+
+
```

```
{% block messages %}
    {{
include('SiversolutionsEshopBundle:QuickOrder:messages.html.twig'|st_resolve_t
```

```
emplate) }}
@@ -28,40 +77,40 @@
    {% set vat = 'Inc.'|st_translate %}
    {% endif %}

+
+ <form action="{{ path('siso_quick_order') }}" id="form-quickorder"
method="post">
-<fieldset>
-<div class="js-quickorder-rows-wrapper">
-<div class="row hide-for-medium-down">
-  <div class="large-2 columns">
-    <strong>{{ 'SKU'|st_translate }}</strong>
-  </div>
-  <div class="large-2 columns">
-    <strong>{{ 'Product'|st_translate }}</strong>
-  </div>
-  <div class="large-1 columns">
-    <strong>{{ 'Quantity'|st_translate }}</strong>
-  </div>
-  <div class="large-2 columns text-center">
-    <strong>{{ 'Stock'|st_translate }}</strong>
-  </div>
-  {% if ses_config_parameter('additional_text_for_basket_line',
'ses_basket') %}#}
-    {#{<div class="large-2 columns">#}
-      {#{<strong>{{ 'common.more_information'|st_translate }}</strong>#}
-    {#{</div>#}
-  {#{% endif %}#}
-  <div class="large-{{ priceColumns }} columns text-right">
-    <strong>{{ 'Unit price'|st_translate }} {{ '%vat% VAT'|st_translate(null,
{'%vat%': vat}) }}</strong>
-  </div>
-  <div class="large-{{ priceColumns }} columns text-right">
-    <strong>{{ 'Total price'|st_translate }}</strong>
-  </div>
-  <div class="large-1 columns">
-    <strong>{{ 'Remove'|st_translate }}</strong>
-  </div>
-  <div class="columns">
-    <hr>
```

```
+ <div class="row">
+   <div class="columns">
+     <button class="tiny secondary u-full-width-on-small u-margin-bottom-1x-
on-small" type="submit" id="update_quickorder"
+       name="update_quickorder"><i class="fa fa-refresh" aria-
hidden="true"></i> {{ 'Refresh quickorder'|st_translate }}</button>
+     <button class="{% if btnClass|default is not empty %}{{ btnClass }}{%
endif %} small u-full-width-on-small right" type="{% if btnType|default is not
empty %}{{ btnType }}{% endif %}" id="quickorder_to_basket"
+       name="quickorder_to_basket"
+       {% if not user_has_role %} title="{% if btnTitle|default is not
empty %}{{ btnTitle }}{% endif %}" data-tooltip data-
options="disable_for_touch:true"{% endif %}>
+       <i class="fa fa-cart-plus" aria-hidden="true"></i> {{ 'Add to
basket'|st_translate }}
+     </button>
+   </div>
+ </div>
- </div>
+ <fieldset class="c-quickorder u-no-padding">
+   <div class="js-quickorder-rows-wrapper">
+     <div class="c-quickorder__header hide-for-medium-down">
+       <div class="row">
+         <div class="large-5 columns">
+           <strong>{{ 'SKU'|st_translate }}</strong>
+         </div>
+         <div class="large-2 columns text-center">
+           <strong>{{ 'Quantity'|st_translate }}</strong>
+         </div>
+         <div class="large-{{ priceColumns }} columns text-center">
+           <strong>{{ 'Unit price'|st_translate }} {{ '%vat%
VAT'|st_translate(null, {'%vat%': vat}) }}</strong>
+         </div>
+         <div class="large-{{ priceColumns }} columns text-center">
+           <strong>{{ 'Total price'|st_translate }}</strong>
+         </div>
+         <div class="large-1 columns text-center">
+           <i class="fa fa-trash fa-lg" aria-hidden="true"></i>
+         </div>
+       </div>
+     </div>
+   </div>
```

```
{% set linesCount = quickorder.lines.count %}
{% set emptyLines = maxLines - linesCount %}
@@ -76,11 +125,29 @@
    {% set catalogElement = ses_product({'sku': line.sku, 'variantCode':
line.variantCode }) %}
    {% endif %}

-   <div class="js-row-wrapper">
+   <div class="js-row-wrapper c-quickorder__item">
+       <div class="c-quickorder__produkt">
+           <a class="u-inline-block" href="{{ catalogElement.seoUrl }}">{{
catalogElement.name }}</a>
+           {% if catalogElement.variantCode|default is not empty %}
+               ({{ catalogElement.variantCode }})
+           {% endif %}
+
+           {#product availability#}
+           <span class="text-center stock u-inline-block">
+               {% set field = line.remoteDataMap.stock is defined ?
line.remoteDataMap.stock : null %}
+               {{ ses_render_stock(field, {
+                   'outputStock': {
+                       'numeric': false,
+                       'cssClass': 'icons'
+                   },
+                   'quantity' : line.quantity
+               }) }}
+           </span>
+       </div>
+       <div class="row">
+           {#product sku#}
-           <div class="large-2 columns">
-               <strong class="text-left show-for-medium-down">{{ 'SKU'|st_translate
}}:</strong>
+           <div class="small-6 large-5 columns">
+               <strong class="text-left u-text-small show-for-medium-down">{{
'SKU'|st_translate }}:</strong>
+               <input class="inputbox" type="text" name="ses_basket[{{
line.basketLineId }}][sku]" size="10"
+                   value="{{ line.sku }}" />
```

```
        <input type="hidden" name="ses_basket[{{ line.basketLineId
    }}][item_in_basket]" value="1"/>
@@ -88,82 +155,58 @@
        <input type="hidden" name="ses_basket[{{ line.basketLineId
    }}][ses_variant_code]"
            value="{{ catalogElement.variantCode }}" />
        {% endif %}
+
    </div>
-
    {#product name#}
-
    <div class="large-2 columns">
-
        <strong class="text-left show-for-medium-down">{{ 'Product
name'|st_translate }}:</strong>
-
        <a href=" {{ catalogElement.seoUrl }}">{{ catalogElement.name }}</a>
-
        {% if catalogElement.variantCode|default is not empty %}
-
            ({{ catalogElement.variantCode }})
-
        {% endif %}
-
    </div>
+
    {#product quantity#}
-
    <div class="large-1 columns large-text-center">
-
        <strong class="text-left show-for-medium-down">{{
'Quantity'|st_translate }}:</strong>
-
        <input class="inputbox" type="text" name="ses_basket[{{
line.basketLineId }}][quantity]" size="1"
+
        <div class="small-6 large-2 columns large-text-center">
+
            <div class="row">
+
                <div class="columns">
+
                    <strong class="text-left u-text-small show-for-medium-down">{{
'Quantity'|st_translate }}:</strong>
+
                </div>
+
                <div class="columns">
+
                    <input class="inputbox" type="text" name="ses_basket[{{
line.basketLineId }}][quantity]" size="1"
                        value="{{ line.quantity }}" />
-
                </div>
-
            {#product availability#}
-
            <div class="large-2 columns text-center stock">
-
                {% set field = line.remoteDataMap.stock is defined ?
line.remoteDataMap.stock : null %}
-
                {{ ses_render_stock(field, {
```

```
-      'outputStock': {
-      'numeric': false,
-      'cssClass': 'icons'
-      },
-      'quantity' : line.quantity
-      }) }}
+      </div>
+      </div>
</div>
{#product price#}
-      <div class="large-{{ priceColumns }} columns text-right">
+      <div class="c-quickorder__clearfix--small"></div>
+      <div class="small-6 large-{{ priceColumns }} columns">
          <div class="row">
-              <div class="small-6 large-12 columns">
-                  <strong class="text-left show-for-medium-down">{{ 'Unit
price'|st_translate }}</strong>
+                  <div class="columns">
+                      <strong class="text-left u-text-small show-for-medium-down">{{
'Unit price'|st_translate }}</strong>
                      </div>
-                  <div class="small-6 large-12 columns" data-price-wrap="user">
-                      {% if showInclVat %}
-                      {{ line.priceGross|price_format(line.currency) }}
-                      {% else %}
-                      {{ line.priceNet|price_format(line.currency) }}
-                      {% endif %}
+                  <div class="columns text-right" data-price-wrap="user">
+                  <input class="text-right" type="text" disabled=""
placeholder="{% if showInclVat %}{{ line.priceGross|price_format(line.currency)
}}{% else %}{{ line.priceNet|price_format(line.currency) }}{% endif %}">
                      </div>
                  </div>
              </div>
              {#product total price#}
-              <div class="large-{{ priceColumns }} columns text-right">
+              <div class="small-6 large-{{ priceColumns }} columns">
                  <div class="row">
-                      <div class="small-6 large-12 columns">
-                          <strong class="text-left show-for-medium-down">{{ 'Total
price'|st_translate }}</strong>
```

```
+         <div class="columns">
+             <strong class="text-left u-text-small show-for-medium-down">{{
'Total price'|st_translate }}:</strong>
+         </div>
-         <div class="small-6 large-12 columns" data-price-wrap="user">
-             {% if showInclVat %}
-                 {{ line.linePriceAmountGross|price_format(line.currency) }}
-             {% else %}
-                 {{ line.linePriceAmountNet|price_format(line.currency) }}
-             {% endif %}
+         <div class="columns" data-price-wrap="user">
+             <input class="text-right" type="text" disabled=""
placeholder="{% if showInclVat %}{{
line.linePriceAmountGross|price_format(line.currency) }}{% else %}{{
line.linePriceAmountNet|price_format(line.currency) }}{% endif %}">
+         </div>
+     </div>
+     </div>
+     {#delete product#}
-     <div class="large-1 columns small-text-right large-text-center">
-         <div class="row">
-             <div class="small-6 large-12 columns">
-                 <strong class="text-left show-for-medium-down">{{
'Remove'|st_translate }}:</strong>
-             </div>
-             <div class="small-6 large-12 columns">
-                 <input type="checkbox" name="ses_basket[{{ line.basketLineId
}}} [item_delete]" style="border:none"/>
-             </div>
-         </div>
+         <div class="large-1 columns small-text-right large-text-center c-
quickorder__delete">
+             <i class="fa fa-trash show-for-medium-down"></i> <input
type="checkbox" name="ses_basket[{{ line.basketLineId }}] [item_delete]"
style="border:none"/>
+         </div>
+     </div>
+
+     {#additional information#}
+     {% if ses_config_parameter('additional_text_for_basket_line',
'ses_basket') %}
```

```
<div class="row">
    {% set inputLimit =
ses_config_parameter('additional_text_for_basket_line_input_limit',
'ses_basket') %}
    <div class="large-2 columns">
-         <label for="customText-{{ line.basketLineId }}" class="inline u-
color-primary u-no-margin-bottom"><strong>{{
'common.more_information'|st_translate }}</strong></label>
+         <label for="customText-{{ line.basketLineId }}" class="inline u-
text-small u-color-primary u-no-margin-bottom"><strong>{{
'common.more_information'|st_translate }}</strong></label>
    </div>
-     <div class="large-4 columns end">
+     <div class="large-3 columns end">
        {% set customTextValue = '' %}
        {% if line.remoteDataMap.customText|default is not empty %}
            {% set customTextValue = line.remoteDataMap.customText %}
@@ -175,49 +218,40 @@
    </div>
</div>
{% endif %}
- <div class="row">
-     <div class="columns">
-         <hr>
-     </div>
- </div>
</div>
{% endfor %}
{% endif %}

{% if emptyLines > 0 %}
    {% for i in 1..emptyLines %}
-     <div class="js-empty-row js-row-wrapper">
+     <div class="js-empty-row js-row-wrapper c-quickorder__item">
        <div class="row">
            {#product sku#}
-         <div class="large-2 columns js-row-sku">
-             <strong class="text-left show-for-medium-down">{{ 'SKU'|st_translate
}}:</strong>
+         <div class="small-6 large-5 columns js-row-sku">
+             <strong class="text-left u-text-small show-for-medium-down">{{
```

```
'SKU'|st_translate }}:</strong>
    <input class="inputbox js-autosuggest-quickorder" type="text"
name="ses_basket[{{ i ~ 'e' }}][sku]"
    size="10" value=""/>
    <input type="hidden" name="ses_basket[{{ i ~ 'e'
}}][item_in_basket]" value="0"/>
+        {#product name#}
+        {#product availability#}
    </div>
-        {#product name#}
-        <div class="large-2 columns">&nbsp;</div>
        {#product quantity#}
-        <div class="large-1 columns large-text-center js-row-amount">
-            <strong class="text-left show-for-medium-down">{{
'Quantity'|st_translate }}:</strong>
+            <div class="small-6 large-2 columns large-text-center js-row-amount">
+                <strong class="text-left u-text-small show-for-medium-down">{{
'Quantity'|st_translate }}:</strong>
                <input class="inputbox" type="text" name="ses_basket[{{ i ~ 'e'
}}][quantity]" size="1" value=""/>
            </div>
-            {#product availability#}
-            <div class="large-2 columns">&nbsp;</div>
+
            {#product price#}
-            <div class="large-{{ priceColumns }} columns text-right">&nbsp;</div>
+            <div class="large-{{ priceColumns }} columns text-right hide-for-
medium-down">
+                <input type="text" disabled="" placeholder="&nbsp;">
+            </div>
            {#product total price#}
-            <div class="large-{{ priceColumns }} columns text-right">&nbsp;</div>
+            <div class="large-{{ priceColumns }} columns text-right hide-for-
medium-down">
+                <input type="text" disabled="" placeholder="&nbsp;">
+            </div>
            {#delete product#}
-            <div class="large-1 columns small-text-right large-text-center js-row-
delete">
-                <div class="row">
-                    <div class="small-6 large-12 columns">
```

```
-         <strong class="text-left show-for-medium-down">{{
'Remove'|st_translate }}:</strong>
-     </div>
-     <div class="small-6 large-12 columns">
-         <input type="checkbox" name="ses_basket[{{ i ~ 'e'
}}][item_delete]" style="border:none"/>
-     </div>
- </div>
+     <div class="large-1 columns small-text-right large-text-center js-row-
delete c-quickorder__delete ">
+         <i class="fa fa-trash show-for-medium-down"></i> <input
type="checkbox" name="ses_basket[{{ i ~ 'e' }}][item_delete]"
style="border:none"/>
+     </div>
+ </div>
+     {#additional information#}
@@ -225,56 +259,48 @@
+     <div class="row">
+         {% set inputLimit =
ses_config_parameter('additional_text_for_basket_line_input_limit',
'ses_basket') %}
+         <div class="large-2 columns">
-             <label for="ses_basket[{{ i ~ 'e' }}][customText]" class="inline
u-color-primary u-no-margin-bottom"><strong>{{
'common.more_information'|st_translate }}</strong></label>
+             <label for="ses_basket[{{ i ~ 'e' }}][customText]" class="inline
u-text-small u-color-primary u-no-margin-bottom"><strong>{{
'common.more_information'|st_translate }}</strong></label>
+         </div>
-         <div class="large-4 columns end">
+         <div class="large-3 columns end">
+             <input class="u-no-margin" id="ses_basket[{{ i ~ 'e'
}}][customText]" type="text" name="ses_basket[{{ i ~ 'e' }}][customText]"
maxlength="{{ inputLimit }}" value ="">
+             <input type="hidden" name="ses_basket[{{ i ~ 'e'
}}][updateNotPermitted]" value="1">
+         </div>
+     </div>
+     {% endif %}
-     <div class="row">
-         <div class="columns">
```

```
-         <hr>
-     </div>
- </div>
    </div>
    {% endfor %}
{% endif %}

    {# add hidden line that will be used for cloning #}
- <div class="js-hidden-empty-row js-row-wrapper hide">
+ <div class="js-hidden-empty-row js-row-wrapper hide c-quickorder__item">
    <div class="row">
        {#product sku#}
-     <div class="large-2 columns js-row-sku">
-         <strong class="text-left show-for-medium-down">{{ 'SKU'|st_translate
- }}:</strong>
+     <div class="small-6 large-5 columns js-row-sku">
+         <strong class="text-left u-text-small show-for-medium-down">{{
+ 'SKU'|st_translate }}:</strong>
            <input class="inputbox js-autosuggest-quickorder" type="text"
name="ses_basket[hidden][sku]" size="10"
            value=""/>
            <input type="hidden" name="ses_basket[hidden][item_in_basket]"
value="0"/>
+         {#product name#}
+         {#product availability#}
        </div>
-     {#product name#}
-     <div class="large-2 columns">&nbsp;</div>
+
        {#product quantity#}
-     <div class="large-1 columns large-text-center js-row-amount">
-         <strong class="text-left show-for-medium-down">{{
- 'Quantity'|st_translate }}:</strong>
+     <div class="small-6 large-2 columns large-text-center js-row-amount">
+         <strong class="text-left u-text-small show-for-medium-down">{{
+ 'Quantity'|st_translate }}:</strong>
            <input class="inputbox" type="text" name="ses_basket[hidden][quantity]"
size="1" value=""/>
        </div>
-     {#product availability#}
-     <div class="large-2 columns"></div>
```

```
+
    {#product price#}
-   <div class="large-{{ priceColumns }} columns text-right">&nbsp;</div>
+   <div class="large-{{ priceColumns }} columns">
+       <input class="u-no-padding hide-for-medium-down" type="text" disabled=""
placeholder="&nbsp;">
+   </div>
    {#product total price#}
-   <div class="large-{{ priceColumns }} columns text-right">&nbsp;</div>
+   <div class="large-{{ priceColumns }} columns">
+       <input class="u-no-padding hide-for-medium-down" type="text" disabled=""
placeholder="&nbsp;">
+   </div>
    {#delete product#}
-   <div class="large-1 columns small-text-right large-text-center js-row-
delete">
-       <div class="row">
-           <div class="small-6 large-12 columns">
-               <strong class="text-left show-for-medium-down">{{
'Remove'|st_translate }}</strong>
-           </div>
-           <div class="small-6 large-12 columns">
-               <input type="checkbox" name="ses_basket[hidden][item_delete]"
style="border:none"/>
-           </div>
-       </div>
+       <div class="large-1 columns small-text-right large-text-center js-row-
delete c-quickorder__delete ">
+           <i class="fa fa-trash show-for-medium-down"></i> <input
type="checkbox" name="ses_basket[hidden][item_delete]" style="border:none"/>
+       </div>
    </div>
    {#additional information#}
@@ -282,100 +308,54 @@
    <div class="row">
        {% set inputLimit =
ses_config_parameter('additional_text_for_basket_line_input_limit',
'ses_basket') %}
        <div class="large-2 columns">
-           <label class="inline u-color-primary u-no-margin-bottom"><strong>{{
'common.more_information'|st_translate }}</strong></label>
```

```
+      <label class="inline u-color-primary u-text-small u-no-margin-  
bottom"><strong>{{ 'common.more_information'|st_translate }}</strong></label>  
      </div>  
-      <div class="large-4 columns end">  
+      <div class="large-3 columns end">  
          <input class="u-no-margin" type="text"  
name="ses_basket[hidden][customText]" maxlength="{{ inputLimit }}" value =""/>  
          <input type="hidden" name="ses_basket[hidden][updateNotPermitted]"  
value="1"/>  
      </div>  
  </div>  
  {% endif %}  
- <div class="row">  
-   <div class="columns">  
-     <hr>  
-   </div>  
- </div>  
-</div>  
  </div>  
+</fieldset>  
+ <div class="row u-margin-bottom-2x">  
+   <div class="large-6 columns u-margin-bottom-1x">  
+     <button class="tiny secondary js-add-row" type="button">  
+       <strong class="u-text-bigger">+</strong>  
+     </button>  
  
-<ul class="button-group">  
-  <li>  
-    <button class="tiny js-add-row" type="button">  
-      <strong class="u-text-bigger">+</strong>  
-    </button>  
-  </li>  
-  <li>  
-    <button class="tiny js-del-row" type="button">  
-      <strong class="u-text-bigger">-</strong>  
-    </button>  
-  </li>  
-</ul>  
-  
-<div class="row collapse u-margin-top-1x">  
-  {# add more lines at once #}
```

```
- <div class="small-2 medium-1 columns">
-   <select class="js-add-more-rows">
-       <option value="5">5</option>
-       <option value="10">10</option>
-       <option value="15">15</option>
-       <option value="20">20</option>
-   </select>
- </div>
- <div class="small-10 medium-5 large-3 columns end">
-   <button type="button" class="postfix js-add-more-rows-button">{{ 'Add
lines'|st_translate }}</button>
+   <button class="tiny secondary js-del-row" type="button">
+       <strong class="u-text-bigger">-</strong>
+   </button>
+ </div>
+ <div class="large-6 columns text-right">
+   {# add more lines at once #}
+   <div class="small-2 medium-4 columns u-no-padding">
+       <select class="js-add-more-rows">
+           <option value="5">5</option>
+           <option value="10">10</option>
+           <option value="15">15</option>
+           <option value="20">20</option>
+       </select>
+   </div>
+   <div class="small-10 medium-8 large-8 columns end u-no-padding-right">
+       <button type="button" class="postfix secondary js-add-more-rows-
button">{{ 'Add lines'|st_translate }}</button>
+   </div>
+ </div>
</div>

-
-</fieldset>
<div class="row">
- <div class="columns large-text-right">
-   <button class="u-margin-bottom-1x" type="submit" id="update_quickorder"
-       name="update_quickorder">{{ 'Refresh quickorder'|st_translate
}}</button>
-   <button class="{% if btnClass|default is not empty %}{{ btnClass }}{%
```

```
endif %}" type="{% if btnType|default is not empty %}{{ btnType }}{% endif %}"
id="quickorder_to_basket"
+ <div class="columns">
+   <button class="tiny secondary u-full-width-on-small u-margin-bottom-1x-on-
small" type="submit" id="update_quickorder"
+     name="update_quickorder"><i class="fa fa-refresh" aria-
hidden="true"></i> {{ 'Refresh quickorder'|st_translate }}</button>
+   <button class="{% if btnClass|default is not empty %}{{ btnClass }}{%
endif %} small u-full-width-on-small right" type="{% if btnType|default is not
empty %}{{ btnType }}{% endif %}" id="quickorder_to_basket"
+     name="quickorder_to_basket"
-     {% if not user_has_role %} title="{% if btnTitle|default is not empty
%}{{ btnTitle }}{% endif %}" data-tooltip data-
options="disable_for_touch:true"{% endif %}>
-     {{ 'Add to basket'|st_translate }}
+     {% if not user_has_role %} title="{% if btnTitle|default is not
empty %}{{ btnTitle }}{% endif %}" data-tooltip data-
options="disable_for_touch:true"{% endif %}>
+     <i class="fa fa-cart-plus" aria-hidden="true"></i> {{ 'Add to
basket'|st_translate }}
+   </button>
+ </div>
</div>

</form>

-{% block csv_upload %}
-
- <p>{{ 'You can use .csv file to fill your quickorder.'|st_translate }}</p>
-
- <div class="row">
-   <div class="large-6 columns">
-     <h4>{{ 'Upload csv file'|st_translate }}
-     <span class="sprite sprite-035-question-mark tooltip" data-
placement="e"
-       data-powertip="{{ 'Every line must contain sku, variant code and
quantity. You can upload only one .csv file'|st_translate }}"></span>
-     </h4>
-     {# csv file upload #}
-     <div class="c-dropzone js-dropzone">
-       <div class="c-dropzone_plus">
```

```
-         <i class="c-dropzone__icon"></i>
-     </div>
-     {{ 'Drop file here or'|st_translate }}
-     {# add class hide to hide the button #}
-     <input id="fileupload" type="file" name="files[]" data-url="{{
path('siso_quick_order_upload') }}" />
- </div>
- </div>
- <div class="large-6 columns">
-     <h4>{{ 'Enter csv file input'|st_translate }}
-     {% set quickorder_params = ses_config_parameter('csv_data',
'siso_quickorder')|join(', ') %}
-     {% set title = 'Enter ' ~ quickorder_params ~ ' per line. After every
line press enter.' %}
-     <span
-         title="{{ title }}">
-         <i class="fa fa-question-circle"></i>
-     </span>
- </h4>
-
-     <form action="{{ path('siso_quick_textarea') }}" method="post">
-         <textarea class="quickorder_textarea" name="quickorder_textarea"
rows="11" cols="1"></textarea>
-         <button type="submit">{{ 'Fill quickorder'|st_translate }}</button>
-     </form>
- </div>
- </div>
- {% endblock %}
```

Code Block 7

**src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_wishli
st_part.html.twig**

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_wishlist_p
art.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_wishlist_p
art.html.twig
index 0016c64..c7d3709 100644
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_wishlist_p
```

```
art.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_wishlist_p
art.html.twig
@@ -4,10 +4,15 @@
    <div class="row u-margin-top-4x">
        <div class="columns">
            <h1>{{ 'My wishlist'|st_translate }}</h1>
+        <ul class="c-stored-basket__info show-for-large-up accordion u-margin-
bottom-1x" data-accordion>
+            <li class="accordion-navigation">
+                <a href="#store-basket-info"><i class="fa fa-info-circle" aria-
hidden="true"></i> {{ 'Info'|st_translate }} </a>
+                <div id="store-basket-info" class="content u-padding-1x">
+                    {{ 'wishlist_stored_basket_intro_text'|st_translate(type) }}</div>
+            </li>
+        </ul>
    </div>
- <div class="columns">
-     {{ 'wishlist_stored_basket_intro_text'|st_translate(type) }}
- </div>
+
+    {% block messages %}
+        <div class="columns">
+            {{
include('SilversolutionsEshopBundle:Basket:messages.html.twig'|st_resolve_templ
ate) }}
@@ -15,102 +20,102 @@
    {% endblock %}
</div>

-<div class="row show-for-large-up">
-    {% block basket_header %}
-        <div class="large-{{ productColumn }} columns">
-            <strong>{{ 'Product'|st_translate }}</strong>
-        </div>
-        <div class="large-1 columns">
-            <strong>{{ 'Quantity'|st_translate }}</strong>
-        </div>
-        <div class="large-1 columns"></div>
-        <div class="columns">
```

```
-      <hr>
+<div class="row">
+  <div class="columns">
+    <div class="c-stored-basket__header show-for-large-up">
+      <div class="row">
+        {% block basket_header %}
+          <div class="large-{{ productColumn }} columns">
+            <strong>{{ 'Product'|st_translate }}</strong>
+          </div>
+          <div class="large-1 columns">
+            <strong>{{ 'Quantity'|st_translate }}</strong>
+          </div>
+          <div class="large-1 columns text-center"><i class="fa fa-trash fa-
lg"></i></div>
+        {% endblock %}
+      </div>
+    </div>
-  {% endblock %}
+ </div>
</div>

<div class="row">
  {% block basket_lines %}
-    <form action="#" method="post">
+    <form class="columns" action="#" method="post">
      {% for line in basket.lines %}
-        <div class="js-product-line">
-          {#do not read catalog elements from basket, such they are not
updated and may be not part of catalog anymore!#}
-          {% set product = ses_product({'sku': line.sku, 'variantCode':
line.variantCode }) %}
-          {% if product is empty %}
-            {# product not available #}
-            <div class="large-11 columns">
-              <p class="u-no-margin-bottom">
-                {{ 'This product is not available any more! You can delete it
here'|st_translate }}
-              </p>
-            </div>
-            <div class="large-1 columns medium-text-center">
-              <a
```

```
-             href="{{ path('silversolutions_stored_basket_delete',
{'basketId': basket.basketId, 'id': line.basketLineId}) }}"
-             data-tooltip aria-haspopup="true"
-             data-options="disable_for_touch:true"
-             title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
-             <i class="fa fa-lg fa-trash"></i>
-         </a>
-     </div>
-     {% else %}
-     <div class="small-12 large-{{ productColumn }} columns">
-         <div class="row">
-             <div class="small-12 large-4 columns small-text-center">
-                 <a href="{{ product.seoUrl }}">
-                     {% set productId = product.sku ~ line.variantCode %}
-                     {% set mainImage = ses_assets_main_image(product,
productId) %}
-                     {# if no image was found for the choosen variant, use main
image from the Variant product node #}
-                     {% if mainImage is empty and line.variantCode is defined
%}
-                         {% set variantProduct =
ses_variant_product_by_sku(line.sku) %}
-                         {% if variantProduct|default is not empty %}
-                             {% set mainImage =
ses_assets_main_image(variantProduct) %}
+                 <div class="c-stored-basket__item">
+                     <div class="js-product-line row">
+                         {#do not read catalog elements from basket, such they are not
updated and may be not part of catalog anymore!#}
+                         {% set product = ses_product({'sku': line.sku, 'variantCode':
line.variantCode }) %}
+                         {% if product is empty %}
+                             {# product not available #}
+                             <div class="large-11 columns">
+                                 <p class="u-no-margin-bottom">
+                                     {{ 'This product is not available any more! You can delete
it here'|st_translate }}
+                                 </p>
+                             </div>
+                             <div class="large-1 columns medium-text-center">
```

```
+         <a
+             href="{{ path('silversolutions_stored_basket_delete',
+ {'basketId': basket.basketId, 'id': line.basketLineId}) }}"
+             data-tooltip aria-haspopup="true"
+             data-options="disable_for_touch:true"
+             title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
+         <i class="fa fa-lg fa-trash"></i>
+     </a>
+ </div>
+ {% else %}
+     <div class="small-12 large-{{ productColumn }} columns">
+         <div class="row">
+             <div class="small-4 large-2 columns">
+                 <a href="{{ product.seoUrl }}">
+                     {% set productId = product.sku ~ line.variantCode %}
+                     {% set mainImage = ses_assets_main_image(product,
productId) %}
+
+                     {# if no image was found for the choosen variant, use
main image from the Variant product node #}
+
+                     {% if mainImage is empty and line.variantCode is defined
%}
+
+                         {% set variantProduct =
ses_variant_product_by_sku(line.sku) %}
+
+                         {% if variantProduct|default is not empty %}
+
+                             {% set mainImage =
ses_assets_main_image(variantProduct) %}
+
+                             {% endif %}
+
+                         {% endif %}
+
+                     {% endif %}
+
+                     
+
+                     </a>
+                 </div>
+
+                 <div class="small-12 large-8 columns">
+
+                     <h3 class="c-card__title u-no-padding">
+
+                         <a href="{{ product.seoUrl }}"
+
+                             title="{{ product.name }}">{{ product.name }}</a>
+
+                     </h3>
+                 </div>
+             </div>
+         </div>
+     </div>
+ </div>
```

```
-         <div class="u-text-smaller">
-             {{ 'SKU'|st_translate }}: {{ line.sku }}
+         
+         </a>
+     </div>
-     {% set description = product.text|trim %}
-     {% if description is not empty %}
-         <div
-             class="c-card__description u-no-padding-left u-no-
padding-right">
-             {{ description|truncate(limit)|raw }}
+         <div class="small-8 large-10 columns">
+             <h3 class="c-card__title u-no-padding u-padding-right-1x">
+                 <a href="{{ product.seoUrl }}"
+                 title="{{ product.name }}">{{ product.name }}</a>
+             </h3>
+             <div>
+                 {{ 'SKU'|st_translate }}: {{ line.sku }}
+             </div>
-             {% endif %}
-             {% if line.variantCode|default is not empty or
(product.minOrderQuantity|default is not empty and product.minOrderQuantity !=
0) %}
-                 <ul>
+                 {% set description = product.text|trim %}
+                 {% if description is not empty %}
+                     <div>
+                         {{ description|truncate(limit)|raw }}
+                     </div>
+                 {% endif %}
+                 {% if line.variantCode|default is not empty or
(product.minOrderQuantity|default is not empty and product.minOrderQuantity !=
0) %}
+                     {% if line.variantCode|default is not empty %}
-                         <li><em>{{ 'Variant code'|st_translate }}:</em>
-                         <strong>{{ line.variantCode }}</strong></li>
+                         {{ 'Variant code'|st_translate }}: {{ line.variantCode
}}
+                     {% endif %}
+                 {% endif %}
+             </div>
+         </div>
```

```

        {% endif %}
        {% if product.minOrderQuantity|default is not empty and
product.minOrderQuantity != 0 %}
-           <li><em>{{ 'Min quantity'|st_translate }}</em>
-           <strong>{{ product.minOrderQuantity }}</strong>
-           </li>
+           {{ 'Min quantity'|st_translate }}:{{
product.minOrderQuantity }}
        {% endif %}
-       </ul>
-       {% endif %}
+       {% endif %}

-       <div>
+
+       </div>
+       <div class="columns">
            {% if errorMsg|default is not empty %}
                <span class="label alert">{{ errorMsg }}</span>
            {% else %}
                <button id="add_to_basket"
-                   class="button tiny u-margin-bottom-1x {{
btnClass }}"
+                   class="button u-margin-top-1x tiny u-full-width-
on-small u-margin-bottom-1x {{ btnClass }}"
                        name="add_to_basket" type="{{ btnType }}"
                        value="{{ 'Add to basket'|st_translate }}"
                        data-sku="{{ line.sku }}"
-                   {% if not user_has_role %} title="{{ btnTitle }}"
data-tooltip data-options="disable_for_touch:true"{% endif %}
+                   {% if not user_has_role %} title="{{ btnTitle
}}" data-tooltip data-options="disable_for_touch:true"{% endif %}
                >
                    <i class="fa fa-cart-plus fa-lg fa-fw"></i>
                    {{ 'Add to basket'|st_translate }}
@@ -119,79 +124,71 @@
            </div>
        </div>
    </div>
-
-       <div class="small-12 large-1 columns amount text-right">
```

```
-         <div class="row">
-             <div
-                 class="small-6 columns text-left hide-for-large-up">
-                 <label class="inline u-no-margin"
-                     for="quantity-{{ loop.index }}">
-                     <strong>{{ 'Quantity'|st_translate }}:</strong>
-                 </label>
-             </div>
-             <div class="small-6 large-12 columns">
-                 {% if product.minOrderQuantity|default is not empty and
product.minOrderQuantity != 0 %}
-                     {% set minQuantity = product.minOrderQuantity %}
-                 {% else %}
-                     {% set minQuantity = line.quantity %}
-                 {% endif %}
-                 <input class="center_align amount"
-                     name="ses_basket[{{ loop.index }}][quantity]"
-                     type="text"
-                     value="{{ minQuantity }}" size="1"
-                     id="ses_basket[{{ loop.index }}"
-                     data-product-id="{{ line.sku }}"
+             <div class="small-12 large-1 columns amount text-right">
+                 <div class="row">
+                     <div
+                         class="small-6 columns text-left hide-for-large-up">
+                         <strong for="quantity-{{ loop.index }}">{{
'Quantity'|st_translate }}:</strong>
+                     </div>
+                     <div class="small-6 large-12 columns">
+                         {% if product.minOrderQuantity|default is not empty and
product.minOrderQuantity != 0 %}
+                             {% set minQuantity = product.minOrderQuantity %}
+                         {% else %}
+                             {% set minQuantity = line.quantity %}
+                         {% endif %}
+                         <input class="center_align amount text-right"
+                             name="ses_basket[{{ loop.index }}][quantity]"
+                             type="text"
+                             value="{{ minQuantity }}" size="1"
+                             id="ses_basket[{{ loop.index }}"
+                             data-product-id="{{ line.sku }}"
```

```
+             {% if line.variantCode|default is not empty %}
+                 data-is-variant="isVariantcode"
+             {% endif %}
+
+         >
+         {% if line.variantCode|default is not empty %}
-             data-is-variant="isVariantcode"
+             <input type="hidden"
+                 name="ses_basket[{{ loop.index
+ }}}[ses_variant_code]"
+                 value="{{ line.variantCode }}" />
+             <input type="hidden"
+                 name="ses_basket[{{ loop.index }}][isVariant]"
+                 value="isVariant" />
+             <input type="hidden"
+                 name="ses_basket[{{ loop.index
+ }}}[currentVariantCode]"
+                 value="{{ line.variantCode }}" />
+             <input type="hidden"
+                 name="ses_basket[{{ loop.index
+ }}}[ses_variant_code]"
+                 value="{{ line.variantCode }}" />
+         {% endif %}
-         >
-         {% if line.variantCode|default is not empty %}
-             <input type="hidden"
-                 name="ses_basket[{{ loop.index
+ }}}[ses_variant_code]"
-                 value="{{ line.variantCode }}" />
-             <input type="hidden"
-                 name="ses_basket[{{ loop.index }}][isVariant]"
-                 value="isVariant" />
-             <input type="hidden"
-                 name="ses_basket[{{ loop.index
+ }}}[currentVariantCode]"
-                 value="{{ line.variantCode }}" />
+             name="ses_basket[{{ loop.index }}][sku]"
+             value="{{ line.sku }}" />
-             <input type="hidden"
-                 name="ses_basket[{{ loop.index
+ }}}[ses_variant_code]"
-                 value="{{ line.variantCode }}" />
```

```
-             {% endif %}
-             <input type="hidden"
-                 name="ses_basket[{{ loop.index }}][sku]"
-                 value="{{ line.sku }}" />
-             <input type="hidden"
-                 name="ses_basket[{{ loop.index }}][id]"
-                 value="{{ line.basketLineId }}" />
+                 name="ses_basket[{{ loop.index }}][id]"
+                 value="{{ line.basketLineId }}" />
+
+             </div>
+         </div>
+     </div>
- </div>
- <div
-     class="small-1 columns medium-text-center u-margin-top-1x-on-
small">
-     <a class="block"
-         href="{{ path('silversolutions_stored_basket_delete',
{'basketId': basket.basketId, 'id': line.basketLineId}) }}"
-         data-tooltip aria-haspopup="true"
-         data-options="disable_for_touch:true"
-         title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
-         <i class="fa fa-trash fa-lg"></i>
-     </a>
- </div>
- {% endif %}
- <div class="columns">
-     <hr>
+     <div
+         class="small-1 columns c-stored-basket__delete large-
text-center">
+         <a class="block"
+             href="{{ path('silversolutions_stored_basket_delete',
{'basketId': basket.basketId, 'id': line.basketLineId}) }}"
+             data-tooltip aria-haspopup="true"
+             data-options="disable_for_touch:true"
+             title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
+             <i class="fa fa-trash fa-lg"></i>
+         </a>
```

```
+         </div>
+         {% endif %}
+     </div>
+ </div>
+ {% endfor %}
- <div class="columns">
-     <button type="{{ btnType }}" id="all_to_basket"
-         class="button right {% if not user_has_role %}disabled{% else
- %}js-add-all-to-basket{% endif %}"
-         {% if not user_has_role %} title="{{ btnTitle }}" data-tooltip data-
- options="disable_for_touch:true"{% endif %}>
-         <i
-             class="fa fa-cart-plus fa-lg fa-fw"></i> {{ 'Add all items to
- basket'|st_translate }}
-     </button>
- </div>
+ <button type="{{ btnType }}" id="all_to_basket"
+     class="button right small u-margin-top-1x u-margin-bottom-1x u-
+ full-width-on-small {% if not user_has_role %}disabled{% else %}js-add-all-to-
+ basket{% endif %}"
+     {% if not user_has_role %} title="{{ btnTitle }}" data-tooltip
+ data-options="disable_for_touch:true"{% endif %}>
+     <i
+         class="fa fa-cart-plus fa-lg fa-fw"></i> {{ 'Add all items to
+ basket'|st_translate }}
+     </button>
+ </form>
+ {% endblock %}
</div>
```

Code Block 8

**src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_store
d_basket_part.html.twig**

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_stored_bas
ket_part.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_stored_bas
ket_part.html.twig
index 222dd66..e55a987 100644
---
```

```
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_stored_basket_part.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Basket/show_stored_basket_part.html.twig
@@ -1,5 +1,5 @@
-{% set stockColumnSize = 2 %}
-{% set productColumn = 6 %}
+{% set stockColumnSize = 1 %}
+{% set productColumn = 5 %}
  {% set limit = ses_config_parameter('description_limit', 'ses_stored_basket') %}
  {% set stockColumn = ses_config_parameter('stock_in_column', 'ses_stored_basket') %}
  {% if stockColumn %}
@@ -8,17 +8,18 @@

<div class="row u-margin-top-4x">
  <div class="columns">
-    <div class="left u-no-float-on-small u-no-float-on-medium">
-      <h1>{{ 'My stored basket:'|st_translate }}</h1>
-      <h2>{{ basket.basketName }}</h2>
-    </div>
-    <a class="button tiny right u-no-float-on-small u-no-float-on-medium u-margin-bottom-1x" href="{{ path('silversolutions_stored_baskets_list') }}">
+    <h1>{{ 'My stored basket:'|st_translate }}<small> ({{ basket.basketName }})</small></h1>
+    <a class="button small u-full-width-on-small u-margin-bottom-1x" href="{{ path('silversolutions_stored_baskets_list') }}">
      <i class="fa fa-chevron-left fa-fw"></i>
-      {{ 'label.stored_basket_back_to_list'|st_translate }}
+      {{ 'Back'|st_translate }}
    </a>
-  </div>
-  <div class="columns">
-    {{ 'wishlist_stored_basket_intro_text'|st_translate(type) }}
+    <ul class="c-stored-basket__info show-for-large-up accordion u-margin-bottom-1x" data-accordion>
+      <li class="accordion-navigation">
+        <a href="#store-basket-info"><i class="fa fa-info-circle" aria-hidden="true"></i> {{ 'Info'|st_translate }} </a>

```

```
+         <div id="store-basket-info" class="content u-padding-1x">
+             {{ 'wishlist_stored_basket_intro_text'|st_translate(type) }}</div>
+         </li>
+     </ul>
+ </div>
+ {% block messages %}
+     <div class="columns">
@@ -26,130 +27,129 @@
+     </div>
+ {% endblock %}
+ </div>
+<div class="row">
+ <div class="columns">
+     <div class="c-stored-basket__header show-for-large-up">
+         <div class="row">
+             {% block basket_header %}
+                 <div class="large-{{ productColumn }} columns">
+                     <strong>{{ 'Product'|st_translate }}</strong>
+                 </div>
+                 {% if stockColumn %}
+                     <div class="large-{{ stockColumnSize }} columns text-center">
+                         <strong>{{ 'Stock'|st_translate }}</strong>
+                     </div>
+                 {% endif %}
+                 <div class="large-2 columns text-center">
+                     <strong>{{ 'Quantity'|st_translate }}</strong>
+                 </div>
+
+<div class="row show-for-large-up">
+ - {% block basket_header %}
+ -     <div class="large-{{ productColumn }} columns">
+ -         <strong>{{ 'Product'|st_translate }}</strong>
+ -     </div>
+ -     <div class="large-1 columns">
+ -         <strong>{{ 'Quantity'|st_translate }}</strong>
+ -     </div>
+ -     {% if stockColumn %}
+ -         <div class="large-{{ stockColumnSize }} columns text-center">
+ -             <strong>{{ 'Stock'|st_translate }}</strong>
+ +         <div class="large-2 columns text-center">
+ +             <strong>{{ 'Unit price'|st_translate }} {{ '%vat%'
```

```
VAT'|st_translate(null, {'%vat%': vat}) }}</strong>
+         </div>
+         <div class="large-2 columns text-center">
+             <strong>{{ 'Total price'|st_translate }}</strong>
+         </div>
+         <div class="large-1 columns text-center"><i class="fa fa-trash fa-
lg"></i></div>
+         {% endblock %}
+     </div>
-     {% endif %}
-     <div class="large-2 columns text-right">
-         <strong>{{ 'Unit price'|st_translate }} {{ '%vat%'
VAT'|st_translate(null, {'%vat%': vat}) }}</strong>
-     </div>
-     <div class="large-2 columns text-right">
-         <strong>{{ 'Total price'|st_translate }}</strong>
-     </div>
-     <div class="large-1 columns"></div>
-     <div class="columns">
-         <hr>
-     </div>
-     {% endblock %}
+ </div>
</div>

<div class="row">
    {% block basket_lines %}
-     <form action="#" method="post">
+     <form class="columns" action="#" method="post">
        {% for line in basket.lines %}
-         <div class="js-product-line">
-             {#do not read catalog elements from basket, such they are not
updated and may be not part of catalog anymore!#}
-             {% set product = ses_product({'sku': line.sku, 'variantCode':
line.variantCode }) %}
-             {% if product is empty %}
-                 {# product not available #}
-                 <div class="large-11 columns">
-                     <p class="u-no-margin-bottom">
-                         {{ 'This product is not available any more! You can delete it
here'|st_translate }}

```

```
-         </p>
-     </div>
-     <div class="large-1 columns medium-text-center">
-         <a
-             href="{{ path('silversolutions_stored_basket_delete',
- {'basketId': basket.basketId, 'id': line.basketLineId}) }}"
-             data-tooltip aria-haspopup="true"
-             data-options="disable_for_touch:true"
-             title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
-             <i class="fa fa-lg fa-trash"></i>
-         </a>
-     </div>
-     {% else %}
+     <div class="c-stored-basket__item">
+         <div class="js-product-line row">
+             {#do not read catalog elements from basket, such they are not
updated and may be not part of catalog anymore!#}
+             {% set product = ses_product({'sku': line.sku, 'variantCode':
line.variantCode }) %}
+             {% if product is empty %}
+                 {# product not available #}
+                 <div class="large-11 columns">
+                     <p class="u-no-margin-bottom">
+                         {{ 'This product is not available any more! You can delete
it here'|st_translate }}
+                     </p>
+                 </div>
+                 <div class="large-1 columns medium-text-center">
+                     <a
+                         href="{{ path('silversolutions_stored_basket_delete',
+ {'basketId': basket.basketId, 'id': line.basketLineId}) }}"
+                         data-tooltip aria-haspopup="true"
+                         data-options="disable_for_touch:true"
+                         title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
+                         <i class="fa fa-lg fa-trash"></i>
+                     </a>
+                 </div>
+             {% else %}
```

```
-      {% set stockField %}
-      {% set field = line.remoteDataMap.stock is defined ?
line.remoteDataMap.stock : null %}
-      {{ ses_render_stock(field, {
-      'outputStock': {
-      'numeric': false,
-      'cssClass': 'icons'
-      },
-      'quantity' : line.quantity
-      }) }}
-      {% endset %}
+      {% set stockField %}
+      {% set field = line.remoteDataMap.stock is defined ?
line.remoteDataMap.stock : null %}
+      {{ ses_render_stock(field, {
+      'outputStock': {
+      'numeric': false,
+      'cssClass': 'icons'
+      },
+      'quantity' : line.quantity
+      }) }}
+      {% endset %}

-      <div class="small-12 large-{{ productColumn }} columns">
-      <div class="row">
-      <div class="small-12 large-4 columns small-text-center">
-      <a href="{{ product.seoUrl }}">
-      {% set productId = product.sku ~ line.variantCode %}
-      {% set mainImage = ses_assets_main_image(product,
productId) %}
-      {% # if no image was found for the choosen variant, use main
image from the Variant product node #}
-      {% if mainImage is empty and line.variantCode is defined
%}
-      {% set variantProduct =
ses_variant_product_by_sku(line.sku) %}
-      {% if variantProduct|default is not empty %}
-      {% set mainImage =
ses_assets_main_image(variantProduct) %}
+      <div class="small-12 large-{{ productColumn }} columns">
+      <div class="row">
```

```
+         <div class="small-4 large-4 columns">
+             <a href="{{ product.seoUrl }}">
+                 {% set productId = product.sku ~ line.variantCode %}
+                 {% set mainImage = ses_assets_main_image(product,
productId) %}
+                 {% if no image was found for the choosen variant, use
main image from the Variant product node %}
+                 {% if mainImage is empty and line.variantCode is defined
%}
+                     {% set variantProduct =
ses_variant_product_by_sku(line.sku) %}
+                     {% if variantProduct|default is not empty %}
+                         {% set mainImage =
ses_assets_main_image(variantProduct) %}
+                     {% endif %}
+                 {% endif %}
-                 {% endif %}
-                 
-                 </a>
-             </div>
-             <div class="small-12 large-8 columns">
-                 <h3 class="c-card__title u-no-padding">
-                     <a href="{{ product.seoUrl }}"
-                         title="{{ product.name }}">{{ product.name }}</a>
-                 </h3>
-                 <div class="u-text-smaller">
-                     {{ 'SKU'|st_translate }}: {{ line.sku }}
+                     
+                     </a>
-                 </div>
-                 {% set description = product.text|trim %}
-                 {% if description is not empty %}
-                     <div
-                         class="c-card__description u-no-padding-left u-no-
padding-right">
```

```
-         {{ description|truncate(limit)|raw }}
+         <div class="small-8 large-8 columns">
+         <h3 class="c-card__title u-no-padding u-padding-right-1x">
+         <a href="{{ product.seoUrl }}"
+         title="{{ product.name }}">{{ product.name }}</a>
+         </h3>
+         <div>
+         {{ 'SKU'|st_translate }}: {{ line.sku }}
+         </div>
-         {% endif %}
-         {% if line.variantCode|default is not empty or
(product.minOrderQuantity|default is not empty and product.minOrderQuantity !=
0) %}
-         <ul>
+         {% set description = product.text|trim %}
+         {% if description is not empty %}
+         <div>
+         {{ description|truncate(limit)|raw }}
+         </div>
+         {% endif %}
+         {% if line.variantCode|default is not empty or
(product.minOrderQuantity|default is not empty and product.minOrderQuantity !=
0) %}
+         {% if line.variantCode|default is not empty %}
-         <li><em>{{ 'Variant code'|st_translate }}:</em>
-         <strong>{{ line.variantCode }}</strong></li>
+         {{ 'Variant code'|st_translate }}:{{ line.variantCode
}}
+         {% endif %}
+         {% if product.minOrderQuantity|default is not empty and
product.minOrderQuantity != 0 %}
-         <li><em>{{ 'Min quantity'|st_translate }}:</em>
-         <strong>{{ product.minOrderQuantity }}</strong>
-         </li>
+         {{ 'Min quantity'|st_translate }}:{{
product.minOrderQuantity }}
+         {% endif %}
-         </ul>
-         {% endif %}
+         {% endif %}
```

```
-           {% if stockColumn == false %}
-           {{ stockField }}
-           {% endif %}
+           {% if stockColumn == false %}
+           {{ stockField }}
+           {% endif %}

-       <div>
+       </div>
+       <div class="columns">
+           {% if errorMsg|default is not empty %}
+           <span class="label alert">{{ errorMsg }}</span>
+           {% else %}
+           <button id="add_to_basket"
-               class="button tiny u-margin-bottom-1x {{
btnClass }}"
+               class="button u-margin-top-1x tiny u-full-width-
on-small u-margin-bottom-1x {{ btnClass }} u-full-width-on-small"
+               name="add_to_basket" type="{{ btnType }}"
+               value="{{ 'Add to basket'|st_translate }}"
+               data-sku="{{ line.sku }}"
-               {% if not user_has_role %} title="{{ btnTitle }}"
data-tooltip data-options="disable_for_touch:true"{% endif %}
+               {% if not user_has_role %} title="{{ btnTitle
}}" data-tooltip data-options="disable_for_touch:true"{% endif %}
+           >
+               <i class="fa fa-cart-plus fa-lg fa-fw"></i>
+               {{ 'Add to basket'|st_translate }}
@@ -158,133 +158,95 @@
+       </div>
+   </div>
+ </div>
- </div>
- <div class="small-12 large-1 columns amount text-right">
-     <div class="row">
-         <div
-             class="small-6 columns text-left hide-for-large-up">
-             <label class="inline u-no-margin"
-                 for="quantity-{{ loop.index }}">
-                 <strong>{{ 'Quantity'|st_translate }}:</strong>
-             </label>
```

```
+
+         {% if stockColumn %}
+         <div class="large-{{ stockColumnSize }} columns text-center
stock">
+
+         <div class="row">
+
+         <div
+
+         class="small-6 columns hide-for-large-up text-
left">
+
+         <strong>{{ 'Stock'|st_translate }}: </strong>
+
+         </div>
+
+         <div class="small-6 large-12 columns small-text-right
large-text-center">
+
+         {{ stockField }}
+
+         </div>
+
+         </div>
+
+         </div>
-
+         <div class="small-6 large-12 columns">
-
+         {% if product.minOrderQuantity|default is not empty and
product.minOrderQuantity != 0 %}
-
+         {% set minQuantity = product.minOrderQuantity %}
-
+         {% else %}
+
+         {% endif %}
+
+
+         <div class="large-2 columns amount">
+
+         <div class="row">
+
+         <div class="small-6 columns hide-for-large-up">
+
+         <strong for="quantity-{{ loop.index }}">{{
'Quantity'|st_translate }}:</strong>
+
+         </div>
+
+         <div class="small-6 large-12 columns">
+
+         {% set minQuantity = line.quantity %}
-
+         {% endif %}
-
+         <input class="center_align amount"
+
+         name="ses_basket[{{ loop.index }}][quantity]"
+
+         type="text"
+
+         value="{{ minQuantity }}" size="1"
+
+         id="ses_basket[{{ loop.index }}"
+
+         data-product-id="{{ line.sku }}"
+
+         <input class="center_align amount text-right"
name="ses_basket[{{ loop.index }}][quantity]" type="text" value="{{ minQuantity
 }}" size="1" id="ses_basket[{{ loop.index }}" data-product-id="{{ line.sku
```

```
}}"% if line.variantCode|default is not empty %} data-is-variant="isVariantcode"% if %}>

    {% if line.variantCode|default is not empty %}
-       data-is-variant="isVariantcode"
+       <input type="hidden"
+           name="ses_basket[{{ loop.index
+       ]}}[ses_variant_code]"
+           value="{{ line.variantCode }}" />
+       <input type="hidden"
+           name="ses_basket[{{ loop.index }}][isVariant]"
+           value="isVariant" />
+       <input type="hidden"
+           name="ses_basket[{{ loop.index
+       ]}}[currentVariantCode]"
+           value="{{ line.variantCode }}" />
+       <input type="hidden"
+           name="ses_basket[{{ loop.index
+       ]}}[ses_variant_code]"
+           value="{{ line.variantCode }}" />
    {% endif %}
-   >
-   {% if line.variantCode|default is not empty %}
-       <input type="hidden"
-           name="ses_basket[{{ loop.index
-       ]}}[ses_variant_code]"
-           value="{{ line.variantCode }}" />
+       name="ses_basket[{{ loop.index }}][sku]"
+       value="{{ line.sku }}" />
-       <input type="hidden"
-           name="ses_basket[{{ loop.index }}][isVariant]"
-           value="isVariant" />
-       <input type="hidden"
-           name="ses_basket[{{ loop.index
-       ]}}[currentVariantCode]"
-           value="{{ line.variantCode }}" />
-       <input type="hidden"
-           name="ses_basket[{{ loop.index
-       ]}}[ses_variant_code]"
-           value="{{ line.variantCode }}" />
-   {% endif %}
-   <input type="hidden"
```

```
-             name="ses_basket[{{ loop.index }}][sku]"
-             value="{{ line.sku }}" />
-         <input type="hidden"
-             name="ses_basket[{{ loop.index }}][id]"
-             value="{{ line.basketLineId }}" />
+             name="ses_basket[{{ loop.index }}][id]"
+             value="{{ line.basketLineId }}" />
+         </div>
+     </div>
+ </div>
-     {% if stockColumn %}
-     <div
-         class="small-12 large-{{ stockColumnSize }} columns text-
center stock">
+
+     <div class="large-2 columns">
+         <div class="row">
+             <div
-                 class="small-6 columns hide-for-large-up text-left">
-                 <label class="u-no-margin">
-                     <strong>{{ 'Stock'|st_translate }}</strong>
-                 </label>
+                 class="small-6 columns hide-for-large-up large-text-
right">
+
+                 <strong>{{ 'Unit price'|st_translate }} {{ '%vat%
VAT'|st_translate(null, {'%vat%': vat}) }}</strong>
+                 </div>
+                 <div class="small-6 large-12 columns">
-                     {{ stockField }}
+                     <input class="text-right" type="text" disabled=""
placeholder="{% if showInclVat %}{{ line.priceGross|price_format(line.currency)
}}{% else %}{{ line.priceNet|price_format(line.currency) }}{% endif %}">
+                 </div>
+             </div>
+         </div>
-     {% endif %}
-     <div class="small-12 large-2 columns text-right">
-         <div class="row">
-             <div
-                 class="small-6 large-12 columns hide-for-large-up text-
```

```
left">
-
-         <label class="u-no-margin">
-             <strong>{{ 'Unit price'|st_translate }} {{ '%vat%
VAT'|st_translate(null, {'%vat%': vat}) }}</strong>
-         </label>
-     </div>
-     <div class="small-6 large-12 columns">
-         {% if showInclVat %}
-             {{ line.priceGross|price_format(line.currency) }}
-         {% else %}
-             {{ line.priceNet|price_format(line.currency) }}
-         {% endif %}
-     </div>
- </div>
- </div>
- <div class="small-12 large-2 columns text-right">
-     <div class="row">
-         <div
-             class="small-6 large-12 columns hide-for-large-up text-
left">
-
-         <label class="u-no-margin">
+         <div class="large-2 columns">
+             <div class="row">
+                 <div
+                     class="small-6 columns hide-for-large-up large-text-
right">
-
-             <strong>{{ 'Total price'|st_translate }}</strong>
-         </label>
-     </div>
-     <div class="small-6 large-12 columns">
-         <strong>
-             {% if showInclVat %}
-                 {{ line.linePriceAmountGross|price_format(line.currency,
'de') }}
-             {% else %}
-                 {{ line.linePriceAmountNet|price_format(line.currency,
'de') }}
-             {% endif %}
-         </strong>
+     </div>
+     <div class="small-6 large-12 columns">
```

```
+         <input class="text-right" type="text" disabled=""
placeholder="{% if showInclVat %}{{
line.linePriceAmountGross|price_format(line.currency, 'de') }}{% else %}{{
line.linePriceAmountNet|price_format(line.currency, 'de') }}{% endif %}}">
+         </div>
+         </div>
+         </div>
-         </div>
-         <div
-         class="small-1 columns medium-text-center u-margin-top-1x-on-
small">
-         <a class="block"
-         href="{{ path('silversolutions_stored_basket_delete',
{'basketId': basket.basketId, 'id': line.basketLineId}) }}"
-         data-tooltip aria-haspopup="true"
-         data-options="disable_for_touch:true"
-         title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
-         <i class="fa fa-trash fa-lg"></i>
-         </a>
-         </div>
-         {% endif %}
-         <div class="columns">
-         <hr>
+         <div
+         class="small-1 columns c-stored-basket__delete large-
text-center">
+         <a class="block"
+         href="{{ path('silversolutions_stored_basket_delete',
{'basketId': basket.basketId, 'id': line.basketLineId}) }}"
+         data-tooltip aria-haspopup="true"
+         data-options="disable_for_touch:true"
+         title="{{ 'Remove product from stored
basket'|st_translate(basketType) }}">
+         <i class="fa fa-trash fa-lg"></i>
+         </a>
+         </div>
+         {% endif %}
+         </div>
+         </div>
+         {% endfor %}
```

```
-     <div class="columns">
-         <button type="{{ btnType }}" id="all_to_basket"
-             class="button right {% if not user_has_role %}disabled{% else
- %}js-add-all-to-basket{% endif %}"
-             {% if not user_has_role %} title="{{ btnTitle }}" data-tooltip data-
- options="disable_for_touch:true"{% endif %}>
-             <i class="fa fa-cart-plus fa-lg fa-fw"></i> {{ 'Add all items to
- basket'|st_translate }}
-         </button>
-     </div>
-     <div class="columns">
-         {{
- include('SilversolutionsEshopBundle:parts:stock_legend.html.twig'|st_resolve_te
- mplate) }}
-     </div>
+     <button type="{{ btnType }}" id="all_to_basket"
+         class="button u-full-width-on-small u-margin-top-1x u-margin-
+ bottom-1x small right {% if not user_has_role %}disabled{% else %}js-add-all-
+ to-basket{% endif %}"
+         {% if not user_has_role %} title="{{ btnTitle }}" data-tooltip
+ data-options="disable_for_touch:true"{% endif %}>
+         <i class="fa fa-cart-plus fa-lg fa-fw"></i> {{ 'Add all items to
+ basket'|st_translate }}
+     </button>
+     {{
+ include('SilversolutionsEshopBundle:parts:stock_legend.html.twig'|st_resolve_te
+ mplate) }}
+ </form>
+ {% endblock %}
</div>
```

Code Block 9

src/Silversolutions/Bundle/EshopBundle/Resources/views/Checkout/checkout_summary.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Checkout/checkout_summ
ary.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Checkout/checkout_summ
ary.html.twig
index 47bbdc7..1f7ba15 100644
```

```
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Checkout/checkout_summ
ary.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Checkout/checkout_summ
ary.html.twig
@@ -35,9 +35,10 @@
    {% endif %}

    {{ 'introtext_order_summary'|st_translate }}
-
-    <div class="row hide-for-small-only checkout-basket-header">
-        {{ block('basket_part_header') }}
+    <div class="c-basket__header hide-for-small-only checkout-basket-header
show-for-large-up">
+        <div class="row">
+            {{ block('basket_part_header') }}
+        </div>
+    </div>

    {{ block('basket_part_lines') }}
```

Code Block 10

src/Silversolutions/Bundle/EshopBundle/Resources/views/blocks/basket.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/blocks/basket.html.twi
g
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/blocks/basket.html.twi
g
index edb98eb..c6273f3 100644
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/blocks/basket.html.twi
g
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/blocks/basket.html.twi
g
@@ -174,8 +174,8 @@
    {% endif %}
```

```
{% set stockColumn = ses_config_parameter('stock_in_column', 'ses_basket')
%}
- {% set stockColumnSize = 2 %}
- {% set productColumn = is_full_view ? 6 : 7 %}
+ {% set stockColumnSize = 1 %}
+ {% set productColumn = is_full_view ? 5 : 6 %}
{% if stockColumn %}
    {% set productColumn = productColumn - stockColumnSize %}
{% endif %}
@@ -183,22 +183,22 @@
    <div class="large-{{ productColumn }} columns">
        <strong>{{ 'Product'|st_translate }}</strong>
    </div>
- <div class="large-1 columns text-center">
-     <strong>{{ 'Quantity'|st_translate }}</strong>
- </div>
{% if stockColumn %}
    <div class="large-{{ stockColumnSize }} columns text-center">
        <strong>{{ 'Stock'|st_translate }}</strong>
    </div>
{% endif %}
- <div class="large-2 columns text-right">
+ <div class="large-2 columns text-center">
+     <strong>{{ 'Quantity'|st_translate }}</strong>
+ </div>
+ <div class="large-2 columns text-center">
    <strong>{{ 'Unit price'|st_translate }} {{ '%vat% VAT'|st_translate(null,
{'%vat%': vat}) }}</strong>
</div>
- <div class="large-2 columns text-right">
+ <div class="large-2 columns text-center">
    <strong>{{ 'Total price'|st_translate }}</strong>
</div>
{% if is_full_view %}
- <div class="large-1 columns"></div>
+ <div class="large-1 columns text-center"><i class="fa fa-trash fa-
lg"></i></div>
{% endif %}
{% endblock %}

@@ -223,8 +223,8 @@
```

```
{% set limit = ses_config_parameter('description_limit', 'ses_basket') %}
{% set stockColumn = ses_config_parameter('stock_in_column', 'ses_basket')
%}
- {% set stockColumnSize = 2 %}
- {% set productColumn = is_full_view ? 6 : 7 %}
+ {% set stockColumnSize = 1 %}
+ {% set productColumn = is_full_view ? 5 : 6 %}
{% if stockColumn %}
    {% set productColumn = productColumn - stockColumnSize %}
{% endif %}
@@ -247,11 +247,11 @@
    'quantity' : line.quantity
    }) }}
    {% endset %}
-
- <div id="product_{{ line.basketLineId }}" class="js-product-wrapper c-
card u-padding-1x u-margin-bottom-1x">
+
+ <div id="product_{{ line.basketLineId }}" class="js-product-wrapper c-
basket__item">
    <div class="row">
        <div class="large-{{ productColumn }} columns">
            <div class="row">
-
- <div class="small-12 large-4 columns small-text-center">
+
+ <div class="small-4 large-4 columns small-text-left">
            <a href="{{ product.seoUrl }}" data-tooltip aria-
haspopup="true" data-options="disable_for_touch:true" title="{{ 'Click to view
product details'|st_translate }}">
                {% set productId = product.sku ~ line.variantCode %}
                {% set mainImage = ses_assets_main_image(product, productId)
%}
@@ -268,24 +268,22 @@
                />
            </a>
        </div>
-
- <div class="small-12 large-8 columns">
-
- <h3 class="c-card__title u-no-padding">
+
+ <div class="small-8 large-8 columns">
+
+ <h3 class="c-card__title u-no-padding u-padding-right-1x">
            <a href="{{ product.seoUrl }}" title="{{ product.name }}">{{
product.name }}</a>
        </h3>
```

```
-         <div class="u-text-smaller">{{ 'SKU'|st_translate }}: {{
line.sku }}</div>
+         <div>{{ 'SKU'|st_translate }}: {{ line.sku }}</div>
+         {% set description = product.text|trim %}
+         {% if description is not empty %}
-         <div class="c-card__description u-no-padding-left u-no-
padding-right">
+         <div>
+             {{ description|truncate(limit)|raw }}
+         </div>
+         {% endif %}

+         {% if line.variantCode|default is not empty %}
-         <ul>
-         <li>
+         <div>
+             <em>{{ 'Variant'|st_translate }}</em>: <strong>{{
line.variantCode }}</strong>
-         </li>
-         </ul>
+         </div>
+         {% endif %}
+         {% if is_full_view %}

@@ -307,17 +305,30 @@
+         </div>
+     </div>

+     {% if stockColumn %}
+     <div class="large-{{ stockColumnSize }} columns text-center text-
center stock">
+         <div class="row u-margin-top-1x-on-small u-margin-top-1x-on-
medium">
+             <div class="small-6 columns hide-for-large-up text-left">
+                 <label class="u-no-margin"><strong>{{ 'Stock'|st_translate
}}: </strong></label>
+             </div>
+             <div class="small-6 large-12 columns small-text-right large-
text-center c-basket__stock">
+                 {{ stockField }}
+             </div>
+         </div>
+     </div>
+ {% endif %}
```

```
+         </div>
+     </div>
+     {% endif %}
+
+     {% set appendix_for_variant = line.variantCode is not empty ? '-' ~
line.variantCode : '' %}
-     <div class="small-12 large-1 columns text-right">
+     <div class="large-2 columns text-right">
+         <div class="row">
+             <div class="small-6 columns text-left hide-for-large-up">
-                 <label class="inline u-no-margn" for="quantity-{{ loop.index
}}">
+                 <label class="inline u-no-margin u-no-padding" for="quantity-
{{ loop.index }}">
+                     <strong>{{ 'Quantity'|st_translate }}:</strong>
+                 </label>
+             </div>
+             {% if is_full_view %}
+                 <div class="small-6 large-12 columns">
-                     <input class="js-quantity-field" id="quantity-{{ loop.index
}}" name="ses_basket[{{ loop.index }}][quantity]" type="text"
+                     <input class="js-quantity-field center_align amount text-
right" id="quantity-{{ loop.index }}" name="ses_basket[{{ loop.index
}}][quantity]" type="text"
+                         value="{{ line.quantity }}" size="1"
+                         data-old-quantity="{{ line.quantity }}"
+                         data-tooltip aria-haspopup="true" data-
options="disable_for_touch:true" title="{{ 'Quantity of products you want to
purchase'|st_translate }}" {{ st_tag('product', 'basket', 'quantity', line.sku
~ appendix_for_variant, line.quantity) }}>
@@ -333,26 +344,16 @@
+                 {% endif %}
+             {% else %}
-
-                 <div class="small-6 large-12 columns">
-                     {{ line.quantity }}
+                 <div class="small-text-left large-text-center small-6 large-12
columns">
+                     <input class="text-right" type="text" disabled=""
placeholder="{{ line.quantity }}">
+                 </div>
```

```
        {% endif %}
    </div>
</div>

-     {% if stockColumn %}
-         <div class="small-12 large-{{ stockColumnSize }} columns text-
center stock">
-             <div class="row">
-                 <div class="small-6 columns hide-for-large-up text-left">
-                     <label class="u-no-margin"><strong>{{ 'Stock'|st_translate
}}</strong></label>
-                 </div>
-                 <div class="small-6 large-12 columns">
-                     {{ stockField }}
-                 </div>
-             </div>
-         </div>
-     {% endif %}
+
+
    <div class="large-2 columns text-right">
        <div class="row">
@@ -364,17 +365,9 @@
            </label>
        </div>
        <div class="small-6 large-12 columns"{% if is_full_view %} data-
price-wrap="user"{% endif %}>
-
-             <span {{ st_tag('product', 'basket',
'price', line.sku ~ appendix_for_variant) }}>
-
-                 {% if line.remoteDataMap.isPriceValid is defined and
line.remoteDataMap.isPriceValid %}
-
-                     {% if showInclVat %}
-
-                         {{ line.priceGross|price_format(line.currency) }}
-
-                     {% else %}
-
-                         {{ line.priceNet|price_format(line.currency) }}
-
-                     {% endif %}
-
-                 {% else %}
-
-                     -
-
-                 {% endif %}
-
-             </span>
-
-         </div>
-     </div>
```

```
-                                     </span>
+
+                                     <input class="text-right" type="text" disabled="" {{
st_tag('product', 'basket', 'price', line.sku ~ appendix_for_variant) }}
placeholder="{% if line.remoteDataMap.isPriceValid is defined and
line.remoteDataMap.isPriceValid %}{% if showInclVat %}{{
line.priceGross|price_format(line.currency) }}{% else %}{{
line.priceNet|price_format(line.currency) }}{% endif %}{% else %}-{% endif %}">
+
+                                     </div>
+                                     </div>
+                                 </div>
@@ -386,25 +379,17 @@
+                                     </label>
+                                 </div>
+
+                                 <div class="small-6 large-12 columns"{% if is_full_view %} data-
price-wrap="user"{% endif %}>
-                                     <strong {{ st_tag('product', 'basket', 'total-price', line.sku
~ appendix_for_variant) }}>
-                                     {% if line.remoteDataMap.isPriceValid is defined and
line.remoteDataMap.isPriceValid %}
-                                     {% if showInclVat %}
-                                     {{ line.linePriceAmountGross|price_format(line.currency)
}}
-                                     {% else %}
-                                     {{ line.linePriceAmountNet|price_format(line.currency)
}}
-                                     {% endif %}
-                                     {% else %}
-                                     -
-                                     {% endif %}
-                                     </strong>
+
+                                     <input class="text-right" type="text" disabled="" {{
st_tag('product', 'basket', 'total-price', line.sku ~ appendix_for_variant) }}
placeholder="{% if line.remoteDataMap.isPriceValid is defined and
line.remoteDataMap.isPriceValid %}{% if showInclVat %}{{
line.linePriceAmountGross|price_format(line.currency) }}{% else %}{{
line.linePriceAmountNet|price_format(line.currency) }}{% endif %}{% else %}-{%
endif %}">
+
+                                     </div>
```

```
        </div>
    </div>
</div>
{% if is_full_view %}
-     <div class="large-1 columns large-text-center u-margin-top-1x-on-
small">
+     <div class="small-1 columns c-basket__delete large-text-center">
        <a href="{ { path('silversolutions_basket_delete', {'id':
line.basketLineId}) } }"
            data-tooltip aria-haspopup="true" data-
options="disable_for_touch:true" title="{ { 'Remove product from
basket'|st_translate } }" { { st_tag('product', 'basket', 'remove', '',
line.sku) } }">
-         <i class="fa fa-trash fa-lg"></i>
+         <i class="fa fa-lg fa-trash fa-lg"></i>
        </a>
    </div>
{% endif %}
@@ -423,7 +408,7 @@
    {% endif %}
    {% if displayLabel %}
    <div class="large-2 columns">
-        <label for="customText-{ { loop.index } }" class="inline u-color-
primary u-no-margin-bottom"><strong>{ { 'common.more_information'|st_translate
}}</strong></label>
+        <label for="customText-{ { loop.index } }" class="inline u-no-
margin-bottom"><strong>{ { 'common.more_information'|st_translate
}}</strong></label>
    </div>
    {% endif %}
    <div class="large-4 columns end">
@@ -443,7 +428,7 @@
    </div>
    {% else %}
    {# product not available #}
-    <div id="product_{ { loop.identifier } }" class="js-product-wrapper c-card
u-padding-1x u-margin-bottom-1x">
+    <div id="product_{ { loop.identifier } }" class="js-product-wrapper c-card
u-padding-1x">
        <div class="row">
            <div class="large-11 columns">
```

```
<p class="u-no-margin">{{ 'This product is not available any more!
You can delete it here'|st_translate }}</p>
@@ -459,7 +444,7 @@
    {% endif %}
    {% endfor %}
    {% if is_full_view %}
-    <button type="submit" class="button js-update-basket u-full-width-on-small
u-margin-bottom-1x"
+    <button type="submit" class="button js-update-basket small u-margin-top-1x
u-full-width-on-small u-margin-bottom-1x"
        data-tag-button-update
        title="{{ 'Please update your basket'|st_translate }}"><i
            class="fa fa-refresh"></i> {{ 'Update basket'|st_translate
        }}</button>
```

Code Block 11

src/Silversolutions/Bundle/EshopBundle/Resources/views/Catalog/parts/productDetail.html.twig

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Catalog/parts/productD
etail.html.twig
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Catalog/parts/productD
etail.html.twig
index c7b7803..8a2f180 100644
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/views/Catalog/parts/productD
etail.html.twig
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/views/Catalog/parts/productD
etail.html.twig
@@ -24,7 +24,7 @@
          
        </a>  
        <figcaption class="text-left u-ellipsis">{{ catalogElement.name  
    }}</figcaption>
```

2.2 ERP message mappings

The mapping file

src/Silversolutions/Bundle/EshopBundle/Resources/mapping/wc3-nav/xsl/response.order_list.xsl has been fixed. If this mapping was overridden in a project, these changes must be applied there, as well in order to take effect.

Code Block 12 src/Silversolutions/Bundle/EshopBundle/Resources/mapping/wc3-nav/xsl/response.order_list.xsl

```
diff --git a/src/Silversolutions/Bundle/EshopBundle/Resources/mapping/wc3-  
nav/xsl/response.order_list.xsl  
b/src/Silversolutions/Bundle/EshopBundle/Resources/mapping/wc3-  
nav/xsl/response.order_list.xsl  
index f63f68b..20be910 100644  
--- a/src/Silversolutions/Bundle/EshopBundle/Resources/mapping/wc3-  
nav/xsl/response.order_list.xsl  
+++ b/src/Silversolutions/Bundle/EshopBundle/Resources/mapping/wc3-  
nav/xsl/response.order_list.xsl  
@@ -3,7 +3,7 @@  
  
    <xsl:import href="include/response.history_header.xsl" />  
  
-    <xsl:template match="/*/*">  
+    <xsl:template match="/*/*[Sales_Invoice]">  
        <InvoiceList>  
            <SesExtension>  
                <Status><xsl:value-of select="PROCESS_STATUS" /></Status>  
@@ -19,7 +19,7 @@  
            </InvoiceList>  
        </xsl:template>
```

```
- <xsl:template match="/*/*">
+ <xsl:template match="/*/*[Sales_Shipment]">
    <DeliveryNoteList>
        <SesExtension>
            <Status><xsl:value-of select="PROCESS_STATUS" /></Status>
@@ -35,7 +35,7 @@
        </DeliveryNoteList>
    </xsl:template>

- <xsl:template match="/*/*">
+ <xsl:template match="/*/*[Sales_Credit_Memo]">
    <CreditNoteList>
        <SesExtension>
            <Status><xsl:value-of select="PROCESS_STATUS" /></Status>
@@ -51,7 +51,7 @@
        </CreditNoteList>
    </xsl:template>

- <xsl:template match="/*/*">
+ <xsl:template match="/*/*[Sales_Order]">
    <OrderListResponse>
        <SesExtension>
            <Status><xsl:value-of select="PROCESS_STATUS" /></Status>
```

2.3 Translations

Code Block 13

[src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.de.php](#)

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.de.php
b/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.de.php
index fa36fe3..9c338c4 100755
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.de.php
+++
b/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.de.php
```

```
@@ -1,6 +1,8 @@
<?php

return array(
+   'label.specifications' => 'Technische Informationen',
+   'msg.max_amount_payment_error' => 'Ihre Bestellung hat den maximalen
möglichen Betrag von %maxAmount% überschritten. Bitte setzen Sie sich mit
unserer Kundenbetreuung in Verbindung!',
    'common.page_count_of_total' => 'Seite %current_page% von %total_pages%',
    'read_more' => 'Weiterlesen',
    'msg.prices_changed_return_basket' => 'Gehen Sie bitte zurück zu Ihrem <a
href="%basketUrl%">Warenkorb</a> und prüfen Sie Ihre aktualisierten Preise.',
@@ -143,9 +145,9 @@ return array(
    'common.my_shop' => 'Mein Shop',
    'label.cancellation_intro_text' => 'Hiermit widerrufe(n) ich/wir den von
mir/uns abgeschlossenen Vertrag über den Kauf der folgenden Waren/die
Erbringung der folgenden Dienstleistung.',
    'label.ordered_or_received_at' => 'Bestellt am/erhalten am',
-   'label.consumer_name' => 'Name des/der Verbraucher(s)',
-   'label.consumer_address' => 'Anschrift des/der Verbraucher(s)',
-   'label.product_skus' => 'Artikelnummer/Name des/der Produktes/Produkte',
+   'label.consumer_name' => 'Nachname, Vorname',
+   'label.consumer_address' => 'Rechnungsanschrift',
+   'label.product_skus' => 'Bestell-/Rechnungsnummer, betroffene Produkte
(Artikelnummer)',
    'common.cancellation_header' => 'Widerruf',
    'cancellation_intro_text' => 'Wenn Sie den Vertrag widerrufen wollen, dann
füllen Sie bitte dieses Formular aus und senden Sie es an uns!',
    'label.day' => 'Tag',
```

Code Block 14

src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.en.php

```
diff --git
a/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.en.php
b/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.en.php
index 7f3ed58..3871a4e 100755
---
a/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.en.php
+++
```

```
b/src/Silversolutions/Bundle/EshopBundle/Resources/translations/messages.en.php
@@ -1,6 +1,8 @@
<?php

return array(
+   'label.specifications' => 'Technical information',
+   'msg.max_amount_payment_error' => 'Your order exceeded the maximum allowed
amount of %maxAmount%. Please contact our customer support!',
    'common.page_count_of_total' => 'Page %current_page% of %total_pages%',
    'read_more' => 'Read more',
    'msg.prices_changed_return_basket' => 'Please visit your <a
href="%basketUrl%">basket</a> and check your updated prices.',
@@ -141,13 +143,13 @@ return array(
    'msg.no_order_permissions' => 'You don\'t have the permission(s) to
order.',
    'common.cancellation_email_intro_text' => 'A customer is exercising the
right of withdrawal and has filled the cancellation form.',
    'common.my_shop' => 'My Shop',
-   'label.cancellation_intro_text' => 'I/We* hereby give notice that I/We*
withdraw from my/our* contract of sale of the following goods*/provision of the
following service',
+   'label.cancellation_intro_text' => 'I/We* hereby give notice that I/We*
withdraw from my/our* contract of sale of the following goods*/provision of the
following service:',
    'label.ordered_or_received_at' => 'Ordered / received on',
-   'label.consumer_name' => 'Consumer\'s name',
-   'label.consumer_address' => 'Consumer\'s address data',
-   'label.product_skus' => 'Item number of product(s)',
+   'label.consumer_name' => 'Name, First Name',
+   'label.consumer_address' => 'Invoice address',
+   'label.product_skus' => 'Order/invoice number, concerned products (article
number)',
    'common.cancellation_header' => 'Cancellation Policy',
-   'cancellation_intro_text' => 'If you wish to withdraw from the contract,
please fill out the form below and send it.',
+   'cancellation_intro_text' => 'If you wish to withdraw from the contract,
please fill out and submit the form below.',
    'label.day' => 'Day',
    'label.month' => 'Month',
    'label.year' => 'Year',
```

2.4 Textmodules

Textmodule identifier	Description	Translation eng-US
header_address_invoice_text	Company address for the invoice	silver.solutions GmbH Färberstraße 26 12555 Berlin Deutschland Fon: 030.65.48.19.90 E-Mail: contact@silversolutions.de
invoice_payment_method_invoice_text	Payment description for the invoice	Please transfer the invoice amount on the bank account listed below.
invoice_left_footer	Bankaccount left footer for the invoice	Account owner: Max Mustermann Bank: Musterbank BIC: 123456 IBAN: 123456
invoice_right_footer	Invoice right footer for the invoice	Management: Ania Hentz, Frank Dege Commercial Registry, Municipal Court, Charlottenburg Commercial Registry No. HRB 75549 Tax ID No: DE115655833

2.5 silver.orderhistory

Follow these changes only, if you are using [Orderhistory](#) in your project.

2.5.1 Templates

2.5.1.1 Modified templates

Code Block 15

src/Siso/Bundle/OrderHistoryBundle/Resources/views/OrderHistory/Components/fields.html.twig

```
diff --git
a/src/Siso/Bundle/OrderHistoryBundle/Resources/views/OrderHistory/Components/fields.html.twig
b/src/Siso/Bundle/OrderHistoryBundle/Resources/views/OrderHistory/Components/fields.html.twig
```

```
elds.html.twig
index 59a7908..72bedbf 100755
---
a/src/Siso/Bundle/OrderHistoryBundle/Resources/views/OrderHistory/Components/fi
elds.html.twig
+++
b/src/Siso/Bundle/OrderHistoryBundle/Resources/views/OrderHistory/Components/fi
elds.html.twig
@@ -250,7 +250,7 @@

    {% block price_field %}
        {% spaceless %}
-        <div class="text-right">
+        <div>
            {% if field_value|default is not empty is not empty %}
                {{ field_value|ses_to_float|price_format }}
            {% else %}
```

2.6 silver.customercenter

Follow these changes only, if you are using [Customercenter](#) in your project.

- no changes

2.7 Hotfixes

To check the API changes for the hotfixes, please check the patches attached above!